

Safety Data Sheet

Copyright, 2018, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 32-6468-6 **Version number:** 1.01

Revision date: 08/02/2018 **Supersedes date:** 10/07/2017

Transportation version number: 1.00 (10/07/2017)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

D111, Detailer Shampoo Plus (24-177C): D11101, D11105, D11155

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols:

GHS07 (Exclamation mark)

Pictograms



Ingredients:

Ingredient CAS Nbr EC No. % by Wt

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one 55965-84-9 < 0.002

and 2-methyl-2H-isothiazol-3-one

HAZARD STATEMENTS:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 7% of components with unknown hazards to the aquatic environment.

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004 (not required on industrial label): 5-15%: anionic surfactant. <5%: amphoteric surfactant, non-ionic surfactant. Contains: Perfumes, Colorants, benzyl benzoate, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

Skin and Eye classification based on test data.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	Mixture			70 - 90	Substance not classified as hazardous
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	268-356-1		1 - 5	Substance not classified as hazardous
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	270-407-8		1 - 5	Acute Tox. 4, H302; Eye Dam. 1, H318
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	61789-40-0	263-058-8		1 - 5	Eye Dam. 1, H318; Aquatic Acute 1, H400,M=1; Aquatic Chronic 2, H411
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2	500-223-8		1 - 5	Skin Irrit. 2, H315; Eye Irrit. 2, H319
Sodium Chloride	7647-14-5	231-598-3		1 - 5	Substance not classified as hazardous
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	68585-47-7	271-557-7		1 - 5	Substance not classified as hazardous
Dodecyldimethylamine oxide	1643-20-5	216-700-6		1 - 5	Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9			< 0.002	Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide. Carbon dioxide. Irritant vapours or gases.

Condition

During combustion. During combustion. During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Indirect vented goggles.

Applicable Norms/Standards
Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Appearance/OdourSweet odor; blue; liquidOdour thresholdNo data available.

pH 7 - 8 Boiling point/boiling range 100 °C

Boiling point/boiling range No data available. Melting point Not applicable. Flammability (solid, gas) Not applicable. **Explosive properties** Not classified **Oxidising properties** Not classified Flash point No flash point Autoignition temperature Not applicable. Flammable Limits(LEL) Not applicable. Flammable Limits(UEL) Not applicable.

Relative density 1 [Ref Std:WATER=1]

Water solubility Complete

Solubility- non-water

Partition coefficient: n-octanol/water

Evaporation rate

Evaporation rate

No data available.
Viscosity

No data available.
1,200 - 1,900 mPa-s

Density 1 g/cm³

9.2. Other information

EU Volatile Organic Compounds

No data available.

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Temperatures above the boiling point.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	Ingestion	Rat	LD50 > 2,000 mg/kg
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Dermal	Rat	LD50 > 2,000 mg/kg
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	LD50 578 mg/kg
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Dermal	Rabbit	LD50 > 2,000 mg/kg
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Ingestion	Rat	LD50 > 2,000 mg/kg
Dodecyldimethylamine oxide	Ingestion	Mouse	LD50 2,700 mg/kg
Dodecyldimethylamine oxide	Dermal	Rabbit	LD50 3,536 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Dermal	Rat	LD50 > 2,000 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,	Ingestion	Rat	LD50 > 1,500 mg/kg
N-coco acyl derivs., hydroxides, inner salts			
Sodium Chloride	Dermal	Rabbit	LD50 > 10,000 mg/kg
Sodium Chloride	Inhalation-	Rat	LC50 > 10.5 mg/l

	Dust/Mist (4 hours)		
Sodium Chloride	Ingestion	Rat	LD50 3,550 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Rabbit	LD50 87 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	LD50 40 mg/kg

 \overline{ATE} = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Mild irritant
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Human	Irritant
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl	Rabbit	Mild irritant
derivs., hydroxides, inner salts		
Sodium Chloride	Rabbit	No significant irritation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

Serious Eye Damage/Irritation

Name	Species	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Corrosive
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Professio	Severe irritant
	nal	
	judgemen	
	t	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl	Rabbit	Corrosive
derivs., hydroxides, inner salts		
Sodium Chloride	Rabbit	Mild irritant
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

Skin Sensitisation

Name	Species	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Guinea	Not classified
	pig	
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Human	Not classified
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl	Multiple	Not classified
derivs., hydroxides, inner salts	animal	
	species	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Sensitising
one	and	
	animal	

Photosensitisation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Not sensitising
one	and	
	animal	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value

Page: 8 of 15

Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	In Vitro	Not mutagenic
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl		Not mutagenic
derivs., hydroxides, inner salts		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	In vivo	Not mutagenic
Sodium Chloride	In Vitro	Some positive data exist, but the data are not sufficient for classification
Sodium Chloride	In vivo	Some positive data exist, but the data are not sufficient for classification
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Dermal	Rat	Not carcinogenic
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	Not carcinogenic
Sodium Chloride	Ingestion	Rat	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Mouse	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for female reproduction	Rat	NOAEL 871 mg/kg	2 generation
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for male reproduction	Rat	NOAEL 891 mg/kg	2 generation
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for development	Rabbit	NOAEL 600 mg/kg	during organogenesis
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
						Duration

Page: 9 of 15

Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	6 months
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg	6 months
1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Ingestion	heart endocrine system hematopoietic system liver nervous system eyes kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
Sodium Chloride	Ingestion	blood kidney and/or bladder vascular system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,240 mg/kg/day	9 months
Sodium Chloride	Ingestion	nervous system eyes	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,700 mg/kg/day	90 days
Sodium Chloride	Ingestion	liver respiratory system	Not classified	Rat	NOAEL 33 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Туре	Exposure	Test endpoint	Test result
Alcohols, C10-16,	68585-34-2		Data not available			
ethoxylated, sulphates,			or insufficient for			
sodium salts			classification			
Benzenesulfonic acid,	68081-81-2		Data not available			
mono-C10-16-alkyl			or insufficient for			
derivs., sodium salts			classification			
1-Propanaminium, 3-	61789-40-0	Zebra Fish	Experimental	96 hours	LC50	2 mg/l
amino-N-						
(carboxymethyl)-N,N-						
dimethyl-, N-coco acyl						
derivs., hydroxides,						
inner salts						
1-Propanaminium, 3-	61789-40-0	Water flea	Experimental	24 hours	EC50	1.1 mg/l
amino-N-						
(carboxymethyl)-N,N-						
dimethyl-, N-coco acyl						
derivs., hydroxides,						
inner salts						
1-Propanaminium, 3-	61789-40-0	Green algae	Experimental	96 hours	EC50	0.55 mg/l
amino-N-						
(carboxymethyl)-N,N-						
dimethyl-, N-coco acyl						
derivs., hydroxides,						
inner salts						

				r		
1-Propanaminium, 3-	61789-40-0	Green algae	Experimental	72 hours	NOEC	0.09 mg/l
amino-N-						
(carboxymethyl)-N,N-						
dimethyl-, N-coco acyl derivs., hydroxides,						
inner salts						
1-Propanaminium, 3-	61789-40-0	Water flea	Experimental	21 days	NOEC	0.9 mg/l
amino-N-	01707 10 0	, atter freu	Емрегипения	21 days	Nobe	0.5 mg/1
(carboxymethyl)-N,N-						
dimethyl-, N-coco acyl						
derivs., hydroxides,						
inner salts						
Dodecyldimethylamine	1643-20-5	Water flea	Experimental	48 hours	EC50	2.2 mg/l
oxide	1.610.00	 	ļ	0.61		
Dodecyldimethylamine	1643-20-5	Ricefish	Experimental	96 hours	LC50	30 mg/l
oxide	11642 20 5	C 1	E : (1	72.1	ECCO	0.11 //
Dodecyldimethylamine	1643-20-5	Green algae	Experimental	72 hours	EC50	0.11 mg/l
oxide Dodecyldimethylamine	1643-20-5	Green algae	Experimental	72 hours	NOEC	0.0049 mg/l
oxide	1043-20-3	Green argae	Experimental	72 Hours	NOEC	0.0049 mg/1
Dodecyldimethylamine	1643-20-5	Fathead minnow	Experimental	302 days	NOEC	0.42 mg/l
oxide	10-13 20 3	atticad minitow	Experimental	302 days		0.121115/1
Dodecyldimethylamine	1643-20-5	Water flea	Experimental	21 days	NOEC	0.36 mg/l
oxide	10.5 20 5	Tracer from	Z.iperimentar	21 4435	1.020	0.50 mg/1
Sodium Chloride	7647-14-5	Fathead minnow	Experimental	96 hours	LC50	7,650 mg/l
			1			, ,
Sodium Chloride	7647-14-5	Water flea	Experimental	48 hours	EC50	736 mg/l
Sodium Chloride	7647-14-5	Algae or other	Experimental	96 hours	EC50	2,430 mg/l
		aquatic plants				
Sodium Chloride	7647-14-5	Water flea	Experimental	21 days	NOEC	518 mg/l
0.1.1 : :1	60505 47 7	-	D : : 111			
Sulphuric acid, mono- C10-16-alkyl esters,	68585-47-7		Data not available or insufficient for			
sodium salts			classification			
Sulphonic acids, C14-	68439-57-6	Water flea	Experimental	48 hours	EC50	3.48 mg/l
16-alkane hydroxy and	00437-37-0	Water fica	Experimental	40 HOUIS	LC30	3.46 mg/1
C14-16-alkene, sodium						
salts						
Sulphonic acids, C14-	68439-57-6	Zebra Fish	Experimental	96 hours	LC50	2.6 mg/l
16-alkane hydroxy and						
C14-16-alkene, sodium						
salts						
Sulphonic acids, C14-	68439-57-6	Diatom	Experimental	72 hours	EC50	5.2 mg/l
16-alkane hydroxy and						
C14-16-alkene, sodium salts						
Sulphonic acids, C14-	68439-57-6	Diatom	Experimental	72 hours	Effect	3.9 mg/l
16-alkane hydroxy and	08439-37-0	Diatom	Experimental	/2 nours	Concentration 10%	3.9 mg/1
C14-16-alkene, sodium					Concentration 1070	
salts						
Sulphonic acids, C14-	68439-57-6	Water flea	Experimental	21 days	NOEC	6.3 mg/l
16-alkane hydroxy and			r	, -		<i>5</i>
C14-16-alkene, sodium						
salts						
Mixture of 5-chloro-2-	55965-84-9	Diatom	Experimental	72 hours	EC50	0.021 mg/l
methyl-2H-isothiazol-						
3-one and 2-methyl-						
2H-isothiazol-3-one	55065.04.0	IVV 4 CI	P	40.1	EG50	0.10 //
Mixture of 5-chloro-2-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.18 mg/l
methyl-2H-isothiazol- 3-one and 2-methyl-						
2H-isothiazol-3-one						
Mixture of 5-chloro-2-	55965-84-9	Diatom	Experimental	72 hours	NOEC	0.01 mg/l
methyl-2H-isothiazol-			Zaperinionai	, 2 110013		V.VI 1119 1
3-one and 2-methyl-						
2H-isothiazol-3-one						
	-	•	•	•	•	

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	96-100	OECD 301E - Modified OECD Scre
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1-Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	100 % weight	OECD 301E - Modified OECD Scre
Dodecyldimethylamine oxide	1643-20-5	Experimental Biodegradation	28 days	CO2 evolution	95.27 % weight	OECD 301B - Modified sturm or CO2
Sodium Chloride	7647-14-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	68585-47-7	Estimated Biodegradation	14 days	BOD	70 % weight	Other methods
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	Experimental Biodegradation	28 days	CO2 evolution	80 % weight	OECD 301B - Modified sturm or CO2
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2	Experimental BCF- Carp	72 hours	Bioaccumulation factor	18	Other methods
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Estimated Bioconcentration		Log Kow	0.69	Other methods
Dodecyldimethylamine oxide	1643-20-5	Estimated Bioconcentration		Log Kow	1.85	Other methods
Sodium Chloride	7647-14-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Sulphuric acid, mono-C10- 16-alkyl esters, sodium salts	68585-47-7	Estimated Bioconcentration		Bioaccumulation factor	100	Other methods
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	Estimated Bioconcentration		Log Kow	-1.3	Other methods
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

All applicable chemical ingredients in this material are listed on the European Inventory of Existing Chemical Substances (EINECS), or are exempt polymers whose monomers are listed on EINECS. Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

Toxic if swallowed

пзит	TOXIC II Swanowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

H301

CLP: Ingredient table information was added.

Contains statement for sensitizers information was deleted.

Label: CLP Classification information was added.

Label: CLP Classification information was modified.

Label: CLP Percent Unknown information was added.

Label: CLP Precautionary - General information was added.

Label: CLP Precautionary - Prevention information was added.

Label: CLP Precautionary - Response information was added.

Label: Graphic information was added.

Label: Signal Word information was added.

List of sensitizers information was deleted.

Section 3: Composition/Information of ingredients table information was modified.

Section 4: First aid for eye contact information information was modified.

Section 4: First aid for skin contact information information was modified.

Section 5: Fire - Extinguishing media information information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Appropriate Engineering controls information information was modified.

Section 8: Eye/face protection information information was modified.

Section 8: glove data value information was modified.

Section 8: Personal Protection - Skin/hand information information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Eve information information was modified.

Section 11: Health Effects - Skin information information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: Standard Phrase Category Waste GHS information was modified.

Section 15: Label remarks and EU Detergent information was modified.

Section 15: Regulations - Inventories information was modified.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk