



Safety Data Sheet

Copyright, 2018, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|---------------------------------------|-------------------|-------------------------|------------|
| Document group: | 28-0335-1 | Version number: | 1.01 |
| Revision date: | 02/08/2018 | Supersedes date: | 22/07/2017 |
| Transportation version number: | 1.00 (22/07/2017) | | |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G176, Swirl Remover (21-13D): G17616

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

| | |
|-------------------|---|
| Address: | Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF |
| Telephone: | +44 (0)870 241 6696 |
| E Mail: | info@meguiars.co.uk |
| Website: | www.meguiars.co.uk |

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION

Supplemental Hazard Statements:

EUH208

Contains Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 1% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

Notes on labelling

H304 is not required on the label due to the product's viscosity

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

| Ingredient | CAS Nbr | EC No. | REACH Registration No. | % by Wt | Classification |
|---|----------------|---------------|---------------------------------------|----------------|--|
| Non-Hazardous Ingredients | Mixture | | | 50 - 70 | Substance not classified as hazardous |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | | 920-901-0 | | 10 - 30 | Asp. Tox. 1, H304; EUH066 |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | 215-691-6 | | 5 - 10 | Substance with a Community level exposure limit in the workplace |
| Kaolin, calcined | 92704-41-1 | 296-473-8 | | 1 - 5 | Substance not classified as hazardous |
| Siloxanes and silicones, di-Me | 63148-62-9 | | | 1 - 5 | Substance not classified as hazardous |
| White mineral oil (petroleum) | 8042-47-5 | 232-455-8 | | 1 - 5 | Asp. Tox. 1, H304 |
| NJ TSR 54004100000-9915P - Processed Castor Oil | Trade Secret | | | 0.5 - 1.5 | Substance not classified as hazardous |
| PEG Stearate | 9004-99-3 | | | 0.1 - 1 | Aquatic Acute 1, H400,M=1; Aquatic Chronic 3, H412 |
| 2-Aminoisobutanol | 124-68-5 | 204-709-8 | | < 0.5 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 |
| Titanium dioxide | 13463-67-7 | 236-675-5 | | < 0.2 | Substance with a Community level exposure limit in the workplace |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | | | < 0.0015 | Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1 |

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.
Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u> |
|----------------------------|--------------------|
| Formaldehyde | During combustion. |
| Carbon monoxide. | During combustion. |
| Carbon dioxide. | During combustion. |
| Irritant vapours or gases. | During combustion. |

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|-------------------------------|----------------|---------------|--|----------------------------|
| Aluminium Oxide (non-fibrous) | 1344-28-1 | UK HSC | TWA(as inhalable dust):10 mg/m ³ ;TWA(as respirable dust):4 mg/m ³ | |
| Titanium dioxide | 13463-67-7 | UK HSC | TWA(Inhalable):10 mg/m ³ ;TWA(respirable):4 mg/m ³ | |

UK HSC : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls**8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

Applicable Norms/Standards

Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|--|
| Physical state | Liquid. |
| Appearance/Odour | Sweet pleasant odor; light blue; viscous liquid |
| Odour threshold | <i>No data available.</i> |
| pH | 8 - 8.8 |
| Boiling point/boiling range | 193.3 °C |
| Melting point | <i>Not applicable.</i> |
| Flammability (solid, gas) | Not applicable. |
| Explosive properties | Not classified |
| Oxidising properties | Not classified |
| Flash point | ≥ 93.3 °C [<i>Test Method:</i> Closed Cup] |
| Flash point | Flash point > 93 °C (200 °F) [<i>Test Method:</i> Closed Cup] |
| Autoignition temperature | <i>Not applicable.</i> |
| Flammable Limits(LEL) | <i>Not applicable.</i> |
| Flammable Limits(UEL) | <i>Not applicable.</i> |

| | |
|--|--------------------------------|
| Vapour pressure | <i>No data available.</i> |
| Relative density | 0.95 - 1.02 [Ref Std: WATER=1] |
| Water solubility | Moderate |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Evaporation rate | <i>No data available.</i> |
| Vapour density | > 1 [Ref Std: AIR=1] |
| Decomposition temperature | <i>No data available.</i> |
| Viscosity | 40,000 - 50,000 mPa-s |
| Density | 0.98 - 1.02 g/cm ³ |

9.2. Other information

EU Volatile Organic Compounds
Molecular weight

No data available.
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products**Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose

and throat pain. May cause additional health effects (see below).

Skin contact

Dermal Defatting: Signs/symptoms may include localised redness, itching, drying and cracking of skin.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation-Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Inhalation-Vapour | | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Aluminium Oxide (non-fibrous) | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Aluminium Oxide (non-fibrous) | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 2.3 mg/l |
| Aluminium Oxide (non-fibrous) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Siloxanes and silicones, di-Me | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Siloxanes and silicones, di-Me | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Kaolin, calcined | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Kaolin, calcined | Ingestion | Rat | LD50 > 2,000 mg/kg |
| White mineral oil (petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| White mineral oil (petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 2-Aminoisobutanol | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| 2-Aminoisobutanol | Ingestion | Rat | LD50 2,900 mg/kg |
| Titanium dioxide | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Titanium dioxide | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 6.82 mg/l |
| Titanium dioxide | Ingestion | Rat | LD50 > 10,000 mg/kg |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Dermal | Rabbit | LD50 87 mg/kg |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.33 mg/l |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---|---------|---------------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Rabbit | Minimal irritation |
| Aluminium Oxide (non-fibrous) | Rabbit | No significant irritation |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| White mineral oil (petroleum) | Rabbit | No significant irritation |
| 2-Aminoisobutanol | Rabbit | Irritant |
| Titanium dioxide | Rabbit | No significant irritation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Rabbit | Corrosive |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|---------|---------------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Rabbit | Mild irritant |
| Aluminium Oxide (non-fibrous) | Rabbit | No significant irritation |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| White mineral oil (petroleum) | Rabbit | Mild irritant |
| 2-Aminoisobutanol | Rabbit | Corrosive |
| Titanium dioxide | Rabbit | No significant irritation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Rabbit | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|---|------------------|----------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Guinea pig | Not classified |
| White mineral oil (petroleum) | Guinea pig | Not classified |
| 2-Aminoisobutanol | Guinea pig | Not classified |
| Titanium dioxide | Human and animal | Not classified |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Human and animal | Sensitising |

Photosensitisation

| Name | Species | Value |
|---|------------------|-----------------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Human and animal | Not sensitising |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|---------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | In vivo | Not mutagenic |
| Aluminium Oxide (non-fibrous) | In Vitro | Not mutagenic |
| White mineral oil (petroleum) | In Vitro | Not mutagenic |
| 2-Aminoisobutanol | In Vitro | Not mutagenic |
| 2-Aminoisobutanol | In vivo | Not mutagenic |
| Titanium dioxide | In Vitro | Not mutagenic |

| | | |
|---|----------|--|
| Titanium dioxide | In vivo | Not mutagenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | In vivo | Not mutagenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|----------------|-------------------------|------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not available | Not carcinogenic |
| Aluminium Oxide (non-fibrous) | Inhalation | Rat | Not carcinogenic |
| White mineral oil (petroleum) | Dermal | Mouse | Not carcinogenic |
| White mineral oil (petroleum) | Inhalation | Multiple animal species | Not carcinogenic |
| Titanium dioxide | Ingestion | Multiple animal species | Not carcinogenic |
| Titanium dioxide | Inhalation | Rat | Carcinogenic. |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Dermal | Mouse | Not carcinogenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---|----------------|--|---------------|-----------------------|--------------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for female reproduction | Not available | NOAEL NA | 1 generation |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for male reproduction | Not available | NOAEL NA | 28 days |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for development | Not available | NOAEL NA | during gestation |
| White mineral oil (petroleum) | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| 2-Aminoisobutanol | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| 2-Aminoisobutanol | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 37 days |
| 2-Aminoisobutanol | Dermal | Not classified for development | Rat | NOAEL 300 mg/kg/day | during gestation |
| 2-Aminoisobutanol | Ingestion | Toxic to development | Rat | NOAEL 100 mg/kg/day | premating into lactation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|------------------------|--|------------------------|---------------------|-------------------|
| 2-Aminoisobutanol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL Not available | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|------------|--------------------------------------|--|---------|-----------------------|-----------------------|
| Aluminium Oxide (non-fibrous) | Inhalation | pneumoconiosis | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | occupational exposure |
| Aluminium Oxide (non-fibrous) | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |
| White mineral oil (petroleum) | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White mineral oil (petroleum) | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 mg/kg/day | 90 days |
| 2-Aminoisobutanol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 23 mg/kg/day | 90 days |
| 2-Aminoisobutanol | Ingestion | blood eyes kidney and/or bladder | Not classified | Dog | NOAEL 2.8 mg/kg/day | 1 years |
| Titanium dioxide | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 0.01 mg/l | 2 years |
| Titanium dioxide | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

| Name | Value |
|--|-------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Aspiration hazard |
| White mineral oil (petroleum) | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|--|-----------|---------------|-----------|----------|------------------|-------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Green Algae | Estimated | 72 hours | Effect Level 50% | >1,000 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% | 920-901-0 | Rainbow trout | Estimated | 96 hours | Lethal Level 50% | >1,000 mg/l |

| | | | | | | |
|---|------------|----------------|---|----------|--------------------------|--------------|
| aromatics | | | | | | |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Water flea | Estimated | 48 hours | Effect Level 50% | >1,000 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Green Algae | Estimated | 72 hours | No obs Effect Level | 1,000 mg/l |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | | Experimental | 96 hours | LC50 | >100 mg/l |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | Water flea | Experimental | 48 hours | LC50 | >100 mg/l |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | Green algae | Experimental | 72 hours | NOEC | >100 mg/l |
| Kaolin, calcined | 92704-41-1 | Green algae | Estimated | 72 hours | EC50 | 2,500 mg/l |
| Kaolin, calcined | 92704-41-1 | Water flea | Estimated | 48 hours | EC50 | >100 mg/l |
| Kaolin, calcined | 92704-41-1 | Zebra Fish | Estimated | 96 hours | LC50 | >100 mg/l |
| Kaolin, calcined | 92704-41-1 | Green algae | Estimated | 72 hours | Effect Concentration 10% | 41 mg/l |
| Kaolin, calcined | 92704-41-1 | Rainbow trout | Estimated | 30 days | NOEC | >100 mg/l |
| Siloxanes and silicones, di-Me | 63148-62-9 | | Data not available or insufficient for classification | | | |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Estimated | 48 hours | Effect Level 50% | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Bluegill | Experimental | 96 hours | Lethal Level 50% | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Green algae | Estimated | 72 hours | No obs Effect Level | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Estimated | 21 days | No obs Effect Level | >100 mg/l |
| PEG Stearate | 9004-99-3 | Green algae | Estimated | 72 hours | EC50 | 0.64 mg/l |
| PEG Stearate | 9004-99-3 | Water flea | Estimated | 48 hours | EC50 | 0.72 mg/l |
| PEG Stearate | 9004-99-3 | Zebra Fish | Estimated | 96 hours | LC50 | 0.65 mg/l |
| PEG Stearate | 9004-99-3 | Green algae | Estimated | 72 hours | NOEC | 0.25 mg/l |
| 2-Aminoisobutanol | 124-68-5 | Fish other | Experimental | 96 hours | LC50 | 184 mg/l |
| 2-Aminoisobutanol | 124-68-5 | Green algae | Experimental | 72 hours | EC50 | 520 mg/l |
| 2-Aminoisobutanol | 124-68-5 | Water flea | Experimental | 24 hours | EC50 | 65 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | EC50 | >10,000 mg/l |
| Titanium dioxide | 13463-67-7 | Fathead minnow | Experimental | 96 hours | LC50 | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | NOEC | 5,600 mg/l |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | Diatom | Experimental | 72 hours | EC50 | 0.021 mg/l |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.18 mg/l |

| | | | | | | |
|---|------------|--------|--------------|----------|------|-----------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | Diatom | Experimental | 72 hours | NOEC | 0.01 mg/l |
|---|------------|--------|--------------|----------|------|-----------|

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|------------------------------------|----------|---------------|------------------|-------------------------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Estimated Biodegradation | 28 days | BOD | 31.3 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | Data not available or insufficient | | | N/A | |
| Kaolin, calcined | 92704-41-1 | Data not available or insufficient | | | N/A | |
| Siloxanes and silicones, di-Me | 63148-62-9 | Data not available or insufficient | | | N/A | |
| White mineral oil (petroleum) | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 % weight | OECD 301B - Modified Sturm or CO2 |
| PEG Stearate | 9004-99-3 | Estimated Biodegradation | 28 days | CO2 evolution | 85.3 % weight | OECD 301B - Modified Sturm or CO2 |
| 2-Aminoisobutanol | 124-68-5 | Experimental Biodegradation | 28 days | BOD | 89.3 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| Titanium dioxide | 13463-67-7 | Data not available or insufficient | | | N/A | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | Data not available or insufficient | | | N/A | |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|---|----------|------------------------|-------------|------------------------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Kaolin, calcined | 92704-41-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, di-Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| PEG Stearate | 9004-99-3 | Estimated Bioconcentration | | Bioaccumulation factor | 5.5 | Estimated: Bioconcentration factor |
| 2-Aminoisobutanol | 124-68-5 | Experimental Bioconcentration | | Log Kow | -0.63 | Other methods |
| Titanium dioxide | 13463-67-7 | Experimental BCF-Carp | 42 days | Bioaccumulation factor | 9.6 | Other methods |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

110199 Wastes not otherwise specified

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Carcinogenicity****Ingredient**

Titanium dioxide

CAS Nbr

13463-67-7

Classification

Grp. 2B: Possible human
carc.

Regulation

International Agency
for Research on Cancer

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

EUH066 Repeated exposure may cause skin dryness or cracking.

| | |
|------|---|
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

Section 1: Product name information was modified.
Section 2: H phrase reference information was deleted.
Label: CLP Classification information was deleted.
Label: CLP Classification information was modified.
Label: CLP Environmental Hazard Statements information was deleted.
Label: CLP Precautionary - Disposal information was deleted.
Label: CLP Precautionary - General information was deleted.
Label: CLP Precautionary - Response information was deleted.
Label: Graphic information was deleted.
Label: Signal Word information was deleted.
Section 3: Composition/ Information of ingredients table information was modified.
Section 4: First aid for eye contact information information was modified.
Section 4: First aid for skin contact information information was modified.
Section 5: Fire - Advice for fire fighters information information was modified.
Section 5: Fire - Extinguishing media information information was modified.
Section 5: Fire - Special hazards information information was modified.
Section 7: Precautions safe handling information information was modified.
Section 8: Eye protection information information was deleted.
Section 8: Eye/face protection information information was added.
Section 8: Occupational exposure limit table information was modified.
Section 8: Personal Protection - Eye information information was added.
Section 11: Acute Toxicity table information was modified.
Section 11: Aspiration Hazard Table information was modified.
Section 11: Cancer Hazards information information was added.
Section 11: Carcinogenicity Table information was modified.
Section 11: Germ Cell Mutagenicity Table information was modified.
Section 11: Health Effects - Ingestion information information was modified.
Section 11: Health Effects - Inhalation information information was modified.
Section 11: Health Effects - Skin information information was modified.
Section 11: Reproductive Hazards information information was added.
Section 11: Reproductive Toxicity Table information was modified.
Section 11: Serious Eye Damage/Irritation Table information was modified.
Section 11: Skin Corrosion/Irritation Table information was modified.
Section 11: Skin Sensitization Table information was modified.
Section 11: Target Organs - Repeated Table information was modified.
Section 11: Target Organs - Single Table information was modified.
Section 12: Component ecotoxicity information information was modified.
Section 12: No PBT/vPvB information available warning information was modified.
Section 12: Persistence and Degradability information information was modified.
Section 12: Bioaccumulative potential information information was modified.
Section 13: EU waste code (product as sold) information information was modified.
Section 13: Standard Phrase Category Waste GHS information was modified.
Section 15: Carcinogenicity information information was added.

Section 15: Chemical Safety Assessment information was modified.

Section 15: Label remarks and EU Detergent information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk