

Safety Data Sheet

Copyright,2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 27-4173-4 **Version number:** 8.01

Revision date: 05/10/2023 **Supersedes date:** 13/12/2022

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Leather Cleaner & Conditioner (Detailer) D180 [D18001]

Product Identification Numbers

14-1001-5531-7

7100315524

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

HAZARD STATEMENTS:

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an

allergic reaction.

1% of the mixture consists of components of unknown acute oral toxicity.

Information required per Regulation (EU) No 528/2012, as amended for Great Britain on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

Notes on labelling

Updated per Regulation (EC) No. 648/2004 as amended for Great Britain on detergents.

Ingredients required per 648/2004 (not required on industrial label): 5-15%: Aliphatic hydrocarbons. <5%: Non-ionic surfactants, anionic surfactant. Contains: Perfumes, benzyl benzoate, amyl cinnamal, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

2.3. Other hazards

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII, as amended by UK REACH Regulations SI 2019/758 Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII, as amended by UK REACH Regulations SI 2019/758

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)		Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Non-hazardous Ingredient	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	60 - 80	Substance not classified as hazardous

Poly(dimethylsiloxane)	(CAS-No.) 63148-62-9	10 - 30	Substance not classified as hazardous
White mineral oil (petroleum)	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8	3 - 7	Asp. Tox. 1, H304
Oleate Blend	Trade Secret	1 - 5	Substance not classified as hazardous
2-amino-2-methylpropanol	(CAS-No.) 124-68-5 (EC-No.) 204-709-8	<= 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Alkylphenylacrylate	(CAS-No.) 6197-30-4 (EC-No.) 228-250-8	<= 0.05	Aquatic Chronic 1, H410,M=10
octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2 (EC-No.) 209-136-7	< 0.02	Repr. 2, H361f Aquatic Chronic 1, H410,M=10 Flam. Liq. 3, H226
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 911-418-6	< 0.0015	EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
5	` ′	(C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	` /	(C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319
		$(C \ge 0.0015\%)$ Skin Sens. 1A, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

Skin contact

Wash with soap and water. If you are concerned, get medical advice.

Eye contact

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionformaldehydeDuring combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this

product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from acids. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Butyl rubber.	0.5	=>8 hours
Neoprene.	0.5	=>8 hours
Nitrile rubber.	0.35	=>8 hours

The glove data presented are based on the substance driving dermal toxicity and the conditions present at the time of testing. Breakthrough time may be altered when the glove is subjected to use conditions that place additional stress on the glove.

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.ColourWhite

Odor Sweet Odor, Pleasant Odor

Odour thresholdNo data available.Melting point/freezing pointNot applicable.Boiling point/boiling range100 °C

Flammability (solid, gas)Not applicable.Flammable Limits(LEL)Not applicable.Flammable Limits(UEL)Not applicable.

Flash point > 93 °C (200 °F)

Autoignition temperatureNot applicable.Decomposition temperatureNo data available.

pH 8.2 - 9.2 Units not available or not applicable.

Kinematic Viscosity
15,500 mm²/sec
Water solubility
Complete
Solubility- non-water
No data available.
Partition coefficient: n-octanol/water
Not applicable

Partition coefficient: n-octanol/waterNot applicable.Vapour pressureNo data available.

Density 1 g/cm3

Relative density1 [Ref Std: WATER=1] **Relative Vapour Density**No data available.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Molecular weightNo data available.Percent volatileNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Poly(dimethylsiloxane)	Dermal	Rabbit	LD50 > 19,400 mg/kg
Poly(dimethylsiloxane)	Ingestion	Rat	LD50 > 17,000 mg/kg
White mineral oil (petroleum)	Dermal	Rabbit	LD50 > 2,000 mg/kg
White mineral oil (petroleum)	Ingestion	Rat	LD50 > 5,000 mg/kg
2-amino-2-methylpropanol	Dermal	Rabbit	LD50 > 2,000 mg/kg
2-amino-2-methylpropanol	Ingestion	Rat	LD50 2,900 mg/kg
Alkylphenylacrylate	Dermal		LD50 estimated to be > 5,000 mg/kg
Alkylphenylacrylate	Ingestion	Rat	LD50 > 5,000 mg/kg
octamethylcyclotetrasiloxane	Dermal	Rat	LD50 > 2,400 mg/kg
octamethylcyclotetrasiloxane	Inhalation-	Rat	LC50 36 mg/l
	Dust/Mist		
	(4 hours)		
octamethylcyclotetrasiloxane	Ingestion	Rat	LD50 > 5,000 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Dermal	Rabbit	LD50 87 mg/kg
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]			
(3:1)			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Inhalation-	Rat	LC50 0.171 mg/l
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]	Dust/Mist		
(3:1)	(4 hours)		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Ingestion	Rat	LD50 40 mg/kg

D 7 C 10

247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]		
(3:1)		

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Poly(dimethylsiloxane)	Rabbit	No significant irritation
White mineral oil (petroleum)	Rabbit	No significant irritation
2-amino-2-methylpropanol	Rabbit	Irritant
Alkylphenylacrylate	Rabbit	Minimal irritation
octamethylcyclotetrasiloxane	Rabbit	Minimal irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Poly(dimethylsiloxane)	Rabbit	No significant irritation
White mineral oil (petroleum)	Rabbit	Mild irritant
2-amino-2-methylpropanol	Rabbit	Corrosive
Alkylphenylacrylate	similar	Mild irritant
	health	
	hazards	
octamethylcyclotetrasiloxane	Rabbit	No significant irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

Skin Sensitisation

Name	Species	Value
White mineral oil (petroleum)	Guinea	Not classified
	pig	
2-amino-2-methylpropanol	Guinea	Not classified
	pig	
Alkylphenylacrylate	Guinea	Not classified
	pig	
octamethylcyclotetrasiloxane	Human	Not classified
	and	
	animal	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

Photosensitisation

Name	Species	Value
Alkylphenylacrylate	Guinea	Not sensitising
	pig	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	_
	animal	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
White mineral oil (petroleum)	In Vitro	Not mutagenic
2-amino-2-methylpropanol	In Vitro	Not mutagenic

2-amino-2-methylpropanol	In vivo	Not mutagenic
Alkylphenylacrylate	In Vitro	Not mutagenic
Alkylphenylacrylate	In vivo	Not mutagenic
octamethylcyclotetrasiloxane	In Vitro	Some positive data exist, but the data are not sufficient for classification
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
White mineral oil (petroleum)	Dermal	Mouse	Not carcinogenic
White mineral oil (petroleum)	Inhalation	Multiple animal species	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Mouse	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
White mineral oil (petroleum)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
White mineral oil (petroleum)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
White mineral oil (petroleum)	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation
2-amino-2-methylpropanol	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2-amino-2-methylpropanol	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	37 days
2-amino-2-methylpropanol	Dermal	Not classified for development	Rat	NOAEL 300 mg/kg/day	during gestation
2-amino-2-methylpropanol	Ingestion	Toxic to development	Rat	NOAEL 100 mg/kg/day	premating into lactation
Alkylphenylacrylate	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
Alkylphenylacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during organogenesis
octamethylcyclotetrasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Ingestion	Toxic to female reproduction	Rabbit	NOAEL 50 mg/kg/day	during organogenesis
octamethylcyclotetrasiloxane	Inhalation	Toxic to female reproduction	Rat	NOAEL 3.6 mg/l	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation

reaction mass of: 5-chloro-2-methyl-4-	Ingestion	Not classified for development	Rat	NOAEL 15	during
isothiazolin-3-one [EC no. 247-500-7]and				mg/kg/day	organogenesis
2-methyl-2H-isothiazol-3-one [EC no. 220-					
239-6] (3:1)					

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-amino-2-methylpropanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	
Alkylphenylacrylate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
White mineral oil (petroleum)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
White mineral oil (petroleum)	Ingestion	liver immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days
2-amino-2-methylpropanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 23 mg/kg/day	90 days
2-amino-2-methylpropanol	Ingestion	blood eyes kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
Alkylphenylacrylate	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 534 mg/kg/day	13 weeks
Alkylphenylacrylate	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,085 mg/kg	90 days
Alkylphenylacrylate	Ingestion	blood liver kidney and/or bladder	Not classified	Rabbit	NOAEL 1,085 mg/kg/day	13 weeks
octamethylcyclotetrasiloxa ne	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 960 mg/kg/day	3 weeks
octamethylcyclotetrasiloxa ne	Inhalation	liver	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxa ne	Inhalation	endocrine system immune system kidney and/or bladder	Not classified	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxa ne	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxa ne	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg/day	2 weeks

Aspiration Hazard

Name	Value
White mineral oil (petroleum)	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Poly(dimethylsilox ane)	63148-62-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
White mineral oil (petroleum)	8042-47-5	Water flea	Analogous Compound	48 hours	EL50	>100 mg/l
White mineral oil (petroleum)	8042-47-5	Bluegill	Experimental	96 hours	LL50	>100 mg/l
White mineral oil (petroleum)	8042-47-5	Green algae	Analogous Compound	72 hours	NOEL	100 mg/l
White mineral oil (petroleum)	8042-47-5	Water flea	Analogous Compound	21 days	NOEL	>100 mg/l
Oleate Blend	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
2-amino-2-	124-68-5	Activated sludge	Experimental	3 hours	EC50	342.9 mg/l
methylpropanol 2-amino-2- methylpropanol	124-68-5	Fish	Experimental	96 hours	LC50	184 mg/l
2-amino-2- methylpropanol	124-68-5	Green algae	Experimental	72 hours	EC50	520 mg/l
2-amino-2- methylpropanol	124-68-5	Water flea	Experimental	24 hours	EC50	65 mg/l
Alkylphenylacrylat e	6197-30-4	Activated sludge	Experimental	30 minutes	NOEC	1,000 mg/l
Alkylphenylacrylat e	6197-30-4	Golden Orfe	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Alkylphenylacrylat e	6197-30-4	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Alkylphenylacrylat e		Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Alkylphenylacrylat e		Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Alkylphenylacrylat e		Water flea	Experimental	21 days	NOEC	0.00266 mg/l
octamethylcyclotetr asiloxane		Blackworm	Experimental	28 days	NOEC	0.73 mg/kg (Dry Weight)
octamethylcyclotetr asiloxane		Midge	Experimental	14 days	LC50	>170 mg/kg (Dry Weight)
octamethylcyclotetr asiloxane		Mysid Shrimp	Experimental	96 hours	LC50	>0.0091 mg/l
octamethylcyclotetr asiloxane		Rainbow trout	Experimental	96 hours	LC50	>0.022 mg/l
octamethylcyclotetr asiloxane		Water flea	Experimental	48 hours	EC50	>0.015 mg/l
octamethylcyclotetr asiloxane	556-67-2	Rainbow trout	Experimental	93 days	NOEC	0.0044 mg/l
octamethylcyclotetr asiloxane	556-67-2	Water flea	Experimental	21 days	NOEC	0.015 mg/l

octamethylcyclotetr	556-67-2	Activated sludge	Experimental	3 hours	EC50	>10,000 mg/l
asiloxane reaction mass of: 5-	55965-84-9	Activated sludge	Experimental	3 hours	NOEC	0.91 mg/l
chloro-2-methyl-4-	0.7	l ron vacou grauge	Zinperimientur	o nours	1,020	
isothiazolin-3-one						
[EC no. 247-500-7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)	55065.04.0	D	Г : 1	17.1	ECCO	5.7. 0
reaction mass of: 5- chloro-2-methyl-4-	55965-84-9	Bacteria	Experimental	16 hours	EC50	5.7 mg/l
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl- 2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5- chloro-2-methyl-4-	55965-84-9	Copepod	Experimental	48 hours	EC50	0.007 mg/l
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3- one [EC no. 220-			1			
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Diatom	Experimental	72 hours	ErC50	0.0199 mg/l
chloro-2-methyl-4- isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3- one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Green algae	Experimental	72 hours	ErC50	0.027 mg/l
chloro-2-methyl-4- isothiazolin-3-one						
EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3- one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-			1			
one [EC no. 220- 239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
chloro-2-methyl-4-		Minnow	_			
isothiazolin-3-one [EC no. 247-500-			1			
7]and 2-methyl-						
2H-isothiazol-3-			1			
one [EC no. 220-						
239-6] (3:1) reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4-			*			
isothiazolin-3-one [EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1) reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4-			-F			
isothiazolin-3-one			<u> </u>			

FEG 247 500						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	NOEL	0.02 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Green algae	Experimental	72 hours	NOEC	0.004 mg/l
chloro-2-methyl-4-			1			
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
chloro-2-methyl-4-			1	, i		
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
-1()						

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Poly(dimethylsilox ane)	63148-62-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
White mineral oil (petroleum)	8042-47-5	Experimental Biodegradation	28 days	CO2 evolution	0 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Oleate Blend	Trade Secret	Experimental Biodegradation	28 days	BOD	67 %BOD/ThOD	OECD 301C - MITI test (I)
2-amino-2- methylpropanol	124-68-5	Experimental Biodegradation	28 days	BOD	89.3 %BOD/ThOD	OECD 301F - Manometric respirometry
Alkylphenylacrylat e	6197-30-4	Experimental Biodegradation	28 days	BOD	0 %BOD/ThOD	EC C.4.D. Manometric Respirom
octamethylcyclotetr asiloxane	556-67-2	Experimental Biodegradation	29 days	CO2 evolution	3.7 %CO2 evolution/THCO2 evolution	OECD 310 CO2 Headspace
octamethylcyclotetr asiloxane	556-67-2	Experimental Photolysis		Photolytic half-life (in air)	31 days (t 1/2)	
octamethylcyclotetr asiloxane	556-67-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	69.3-144 hours (t 1/2)	OECD 111 Hydrolysis func of pH
chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)		Analogous Compound Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	> 60 days (t 1/2)	

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Poly(dimethylsilox ane)	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
White mineral oil (petroleum)	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oleate Blend	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2-amino-2- methylpropanol	124-68-5	Experimental Bioconcentration		Log Kow	-0.63	
Alkylphenylacrylat e	6197-30-4	Experimental BCF - Fish	28 days	Bioaccumulation factor	887	OECD305-Bioconcentration
Alkylphenylacrylat e	6197-30-4	Experimental Bioconcentration		Log Kow	6.1	EC A.8 Partition Coefficient
octamethylcyclotetr asiloxane	556-67-2	Experimental BCF - Fish	28 days	Bioaccumulation factor	12400	40CFR 797.1520-Fish Bioaccumm
octamethylcyclotetr asiloxane	556-67-2	Experimental Bioconcentration		Log Kow	6.49	OECD 123 log Kow slow stir
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound BCF - Fish	28 days	Bioaccumulation factor	54	OECD305-Bioconcentration
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Bioconcentration		Log Kow	0.4	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
Alkylphenylacrylate	6197-30-4	Experimental Mobility in Soil	Koc	29934-79018 l/kg	
octamethylcyclotetr asiloxane	556-67-2	Experimental Mobility in Soil	Koc	16,600 l/kg	OECD 106 Adsp-Desb Batch Equil
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Mobility in Soil	Кос	10 l/kg	OECD 106 Adsp-Desb Batch Equil

12.5. Results of the PBT and vPvB assessment

Ingredient	CAS Nbr	PBT/vPvB status
octamethylcyclotetrasiloxane	556-67-2	Meets UK REACH PBT criteria
octamethylcyclotetrasiloxane	556-67-2	Meets UK REACH vPvB criteria

12.6. Other adverse effects

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency	No data available.	No data available.	No data available.

Dagg. 15 of 1

Temperature			
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

<u>Ingredient</u>	CAS Nbr
octamethylcyclotetrasiloxane	556-67-2

reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 55965-84-9 3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of Restriction

Authorisation status under UK REACH:

The following substance/s contained in this product might be or is/are subject to authorisation in accordance with UK REACH:

Ingredient	<u>CAS Nbr</u>
octamethylcyclotetrasiloxane	556-67-2

Authorisation status: listed in the UK REACH Candidate List of Substances of Very High Concern for Authorisation

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical

notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
octamethylcyclotetrasiloxane	556-67-2	100	200
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one	55965-84-9	50	200
[EC no. 247-500-7]and 2-			
methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

EUH071	Corrosive to the respiratory tract.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

- GB Section 02: CLP Remark(phrase) information was added.
- GB Section 02: Other hazards phrase information was added.
- GB Section 04: Information on toxicological effects information was added.
- GB Section 12: Classification Warning information was added.
- GB Section 12: PBT/vPvB table row information was added.
- GB Section 15: Authorisation status under REACH: SVHC Authorisation ingredient information information was added.
- GB Section 15: Chemical Safety Assessment information was added.

GB Section 15: Label remarks and EU Detergent information was added.

GBSDS Section 14 Transport in bulk - Main Heading information was added.

GBSDS Section 14 UN Number information was added.

Section 1: Product identification numbers information was added.

Section 01: SAP Material Numbers information was added.

CLP Remark(phrase) information was deleted.

Contains statement for sensitizers information was added.

Contains statement for sensitizers information was deleted.

Label: CLP Percent Unknown information was deleted.

Section 02: Label Elements: GB Percent Unknown information was added.

List of sensitizers information was added.

List of sensitizers information was deleted.

Section 2: Other hazards phrase information was deleted.

Section 3: Composition/Information of ingredients table information was added.

Section 3: Composition/Information of ingredients table information was deleted.

Section 03: SCL table information was added.

Section 03: SCL table information was deleted.

Section 04: Information on toxicological effects information was deleted.

Section 11: Acute Toxicity table information was modified.

Section 11: Classification disclaimer information was deleted.

Section 11: GB Classification disclaimer information was added.

Section 11: GB No endocrine disruptor information available warning information was added.

Section 11: No endocrine disruptor information available warning information was deleted.

Section 11: Target Organs - Single Table information was modified.

Section 12: 12.6. Endocrine Disrupting Properties information was deleted.

Section 12: 12.6. Other adverse effects information was added.

Section 12: 12.7. Other adverse effects information was deleted.

Section 12: Classification Warning information was deleted.

Prints No Data if Adverse effects information is not present information was deleted.

Section 12: No endocrine disruptor information available warning information was added.

Section 12: No endocrine disruptor information available warning information was deleted.

Section 12: PBT/vPvB table row information was deleted.

Section 14 Marine transport in bulk according to IMO instruments - Main Heading information was deleted.

Section 14 UN Number information was deleted.

Section 14: Transportation classification information was deleted.

Section 15: Authorization status under REACH: SVHC Authorization ingredient information information was deleted.

Section 15: Chemical Safety Assessment information was deleted.

Section 15: Label remarks and EU Detergent information was deleted.

Section 15: Seveso Substance Text information was added.

Section 15: Seveso Substance Text information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

Section 16: Web address information was added.

Section 16: Web address information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Leather Cleaner & Conditioner (Detailer) D180 [D18001]
Meguiar's, Inc. SDSs for Great Britain are available at www.meguiars.co.uk
For Northern Ireland documents, please contact your 3M representative to obtain a copy.
Tot ivordieth fielding documents, please contact your 5141 representative to obtain a copy.

Page: 19 of 19