

# Safety Data Sheet

Copyright,2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 41-3440-9 **Version number:** 3.00

**Revision date:** 20/04/2023 **Supersedes date:** 12/07/2022

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

Gold Class<sup>™</sup> Carnauba Plus Paste Wax (Premium) G70 [G7014J]

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### **Identified uses**

Automotive.

#### 1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### **SECTION 2: Hazard identification**

### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's physical form.

#### CLASSIFICATION:

Flammable Solid, Category 1 - Flam. Sol. 1; H228

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### SIGNAL WORD

DANGER.

### **Symbols**

GHS02 (Flame) |

#### **Pictograms**



#### **HAZARD STATEMENTS:**

H228 Flammable solid.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

**Prevention:** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

#### SUPPLEMENTAL INFORMATION:

### **Supplemental Hazard Statements:**

EUH066 Repeated exposure may cause skin dryness or cracking.

14% of the mixture consists of components of unknown acute oral toxicity.

Contains 20% of components with unknown hazards to the aquatic environment.

Nota P applied.

#### 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Ingredient	Identifier(s)	0/0	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	(EC-No.) 920-901-0	40 - 50	Asp. Tox. 1, H304 EUH066
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	(EC-No.) 927-676-8	< 5	Asp. Tox. 1, H304 EUH066
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	(CAS-No.) 6197-30-4 (EC-No.) 228-250-8	< 0.2	Aquatic Chronic 1, H410,M=10
Titanium dioxide	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5	< 1	Carc. 2, H351 (inhalation)

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

### Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

### If swallowed

Rinse mouth. If you are concerned, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include: Toxic by eye contact.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

SubstanceConditionAldehydes.During combustion.formaldehydeDuring combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.Oxides of nitrogen.During combustion.

#### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (eg. gloves, respirators...) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapour accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from oxidising agents.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Agency Limit type Additional comments

Titanium dioxide 13463-67-7 UK HSC TWA(respirable):4

mg/m3;TWA(Inhalable):10

mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

### Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Solid.
Specific Physical Form: Paste

Colour Dull Yellow, Soft White Odor Pleasant Odor

Odour threshold No data available.

Melting point/freezing point 51.7 °C Boiling point/boiling range 185 °C

Flammability (solid, gas) Flammable Solid: Category 1.

Flammable Limits(LEL)

No data available.

No data available.

No data available.

Flash point >= 93.3 °C [Test Method: Pensky-Martens Closed Cup]

Autoignition temperatureNo data available.Decomposition temperatureNo data available.

pH substance/mixture is non-soluble (in water)

Kinematic Viscosity No data available.

Water solubility Nil

Solubility- non-water

Partition coefficient: n-octanol/water

No data available.

Vapour pressure

No data available.

No data available.

**Density** 0.85 g/cm<sup>3</sup>

Relative density 0.85 [Ref Std: WATER=1]

Relative Vapour Density

No data available.

#### 9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Molecular weightNo data available.Percent volatileNo data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

Sparks and/or flames.

#### 10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

### 10.6 Hazardous decomposition products

Substance
None known.

**Condition** 

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

May be harmful if inhaled. May cause additional health effects (see below).

#### Skin contact

Prolonged or repeated exposure may cause: Dermal Defatting: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

No known health effects.

#### **Additional Health Effects:**

#### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation- Vapour(4 hr)		No data available; calculated ATE >20 - =50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l

### Gold Class<sup>TM</sup> Carnauba Plus Paste Wax (Premium) G70 [G7014J]

Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour	Professio nal	LC50 estimated to be 20 - 50 mg/l
	1	judgeme	
		nt	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000  mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000  mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation-	Rat	LC50 > 6.82 mg/l
	Dust/Mist		
	(4 hours)		
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Dermal		LD50 estimated to be > 5,000 mg/kg
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Minimal irritation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Minimal irritation
Titanium dioxide	Rabbit	No significant irritation
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Rabbit	Minimal irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Mild irritant
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Mild irritant
Titanium dioxide	Rabbit	No significant irritation
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	similar	Mild irritant
	health	
	hazards	

### **Skin Sensitisation**

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Guinea	Not classified
	pig	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Guinea	Not classified
	pig	
Titanium dioxide	Human	Not classified
	and	
	animal	
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Guinea	Not classified
	pig	

### Photosensitisation

Name	Species	Value
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Guinea	Not sensitising
	nig	

### **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Germ Cen Mutagementy						
Name	Route	Value				
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In Vitro	Not mutagenic				

# Gold Class<sup>TM</sup> Carnauba Plus Paste Wax (Premium) G70 [G7014J]

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In vivo	Not mutagenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In vivo	Not mutagenic
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	In Vitro	Not mutagenic
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not available	Not carcinogenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not available	Not carcinogenic
Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	28 days
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Rat	NOAEL Not available	during gestation
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during organogenesis

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

specific Target Organ Toxicity - repeated exposure								
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration		
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years		
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not	occupational		

\_\_\_\_\_

					available	exposure
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 534 mg/kg/day	13 weeks
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,085 mg/kg	90 days
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Ingestion	blood   liver   kidney and/or bladder	Not classified	Rabbit	NOAEL 1,085 mg/kg/day	13 weeks

### **Aspiration Hazard**

Name	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Green algae	Estimated	72 hours	EL50	>1,000 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Rainbow trout	Estimated	96 hours	LL50	>1,000 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Water flea	Estimated	48 hours	EL50	>1,000 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Green algae	Estimated	72 hours	NOEL	1,000 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Green algae	Estimated	72 hours	EL50	>1,000 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Green algae	Estimated	72 hours	EL50	>1,000 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Green algae	Estimated	72 hours	NOEL	1,000 mg/l

D 10 C 1

Cit-2-Cit   City   Ci	Hydrocarbons,	927-676-8	Invertebrate	Estimated	96 hours	LL50	>10,000 mg/l
soalkanes, cyclics, 29% aromatics         27-676-8         Rainbow trout         Fastimated         96 hours         LL50         >1,000 mg/l           LO2-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Water flea         Estimated         48 hours         EL50         >1,000 mg/l           Hydrocarbors, C12-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Rainbow trout         Experimental         96 hours         LL50         >88,444 mg/l           Hydrocarbors, C12-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Water flea         Experimental         48 hours         EL50         >1,000 mg/l           Hydrocarbors, C12-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Water flea         Experimental         48 hours         EL50         >1,000 mg/l           Hydrocarbors, C12-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Green algae         Estimated         72 hours         NOE1.         1,000 mg/l           Hydrocarbors, C12-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Water flea         Experimental         21 days         NOE1.         1,000 mg/l           Hydrocarbors, C12-C16, soalkanes, cyclics, 29% aromatics         297-676-8         Water flea         Experimental         21 days         NOE1.         1,000 mg/l           Hydrocarbors, C12-C16,		927-070-8	invertebrate	Estilliated	90 nours	LLSU	210,000 mg/1
2-2% aromatics							
Hydrocarbons,							
Ci2-Ci6, soalkanes, cyclies, -2% aromatics Hydrocarbons, Ci2-Ci6, soalkanes, cyclies, -2% aromatics Hydrocar		927-676-8	Rainbow trout	Estimated	96 hours	1150	>1.000 mg/l
		727-070-0	Kambow trout	Limated	70 Hours	LLSO	2 1,000 mg/1
29% aromatics							
Hydrocarbons,	20% gramatics						
Ci2-Ci6, sosalkanes, cyclics, e2% aromatics Hydrocarrbons, Ci2-Ci6, soalkanes, cyclics, e2% aromatics L2-Ci6, soalkanes, cyclics, e2% aromatics L2-Ci4, soalkanes, cyclics, e2% aromatics L2-Ci4, soalkanes, cyclics, e2% aromatics L2-Cyano-3.3-dphenyl-2-propention cicl, 2-depth, e1%		027 (7( 0	W-+ fl	E-timet-d	40 1	EL 50	> 1.000 = /1
		927-070-8	water nea	Estimated	48 nours	ELSU	>1,000 mg/1
2-2% aromatics Hydrocarchons, C12-C16, isosalkanes, cycles, e-2%							
Hydrocarbons,   C12-C16, isoalkanes, cycles,   29% aromatics							
Separation   Sep		007 676 0	<b>D</b>	n	0.61	X 7 50	00.444
isoalkanes, cycles, 2% aromatics	Hydrocarbons,	927-676-8	Rainbow trout	Experimental	96 hours	LL50	>88,444 mg/I
2% aromatics         Nater flea         Experimental         48 hours         EL50         >1,000 mg/l           C12-C16, isoalkanes, cyclics, 2% aromatics         927-676-8         Green algae         Estimated         72 hours         NOEL         1,000 mg/l           C12-C16, isoalkanes, cyclics, 2% aromatics         927-676-8         Green algae         Estimated         72 hours         NOEL         1,000 mg/l           Hydrocarbons, C12-C16, isoalkanes, cyclics, 2% aromatics         927-676-8         Water flea         Experimental         21 days         NOEL         1 mg/l           C12-C16, isoalkanes, cyclics, 2% aromatics         22% aromatics         1 mg/l         1 mg/l         1 mg/l         1 mg/l           C12-C16, isoalkanes, cyclics, 2% aromatics         22% aromatics         1 logonal mg/l         1 mg/l         1 mg/l         1 mg/l         1 mg/l         1 logonal mg/l </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Hydrocarbons, C12-C16, isoalkanes, cyclics, 2% aromatics L2-Cyano-3,3- diphenyl-2- propension acid, 2- ethylhexyl ester L2-Cyano							
Ci2-Ci6   Soalkanes, cyclics   27-676-8   Green algae   Estimated   72 hours   NOEL   1,000 mg/l							
isoalkanes, cyclics, 2% aromatics		927-676-8	Water flea	Experimental	48 hours	EL50	>1,000 mg/l
## Septimental Propose acid, 2-ethylhexyl ester 2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-3							
Hydrocarbons, C12-C16, isoalkanes, cyclics, 2% aromatics 2-Cyano-3, 3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 3-Cyano-3, 3- diphen							
C12-C16, isoalkanes, cyclics, <2% aromatics Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics 2-0 Aromatics 1 mg/l		ļ	<u> </u>	1			
		927-676-8	Green algae	Estimated	72 hours	NOEL	1,000 mg/l
2% aromatics       NOEL       Img/I         Hydrocarbons, C12-C16, isoalkanes, cyclics, 2% aromatics       927-676-8       Water flea       Experimental       21 days       NOEL       1 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       6197-30-4       Activated sludge       Experimental       30 minutes       NOEC       1,000 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       6197-30-4       Green algae       Experimental       72 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       48 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       48 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       48 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       48 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       48 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester       48 hours       No tox obs at lmt of water sol       >100 mg/I         2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl e		1					
Hydrocarbons, C12-C16, issoalkanes, cyclics, 2% aromatics 24 caromatics 25 caromatics 25 caromatics 27 caromatics 27 caromatics 27 caromatics 27 caromatics 28 caromatics 28 caromatics 29 caromatics 29 caromatics 29 caromatics 20 caromatics							
Ci2-C16, isoalkanes, cyclics, <2% aromatics 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 1-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylh							
isoalkanes, cyclics, 22% aromatics 2-2% aromatics 2-2% aromatics 2-2% aromatics 2-2% aromatics 2-2% aromatics 3-2% aromatics 3	Hydrocarbons,	927-676-8	Water flea	Experimental	21 days	NOEL	1 mg/l
29% aromatics   G197-30-4   Activated sludge   Experimental   30 minutes   NOEC   1,000 mg/l   G197-30-4   G197-30	C12-C16,						
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diph	isoalkanes, cyclics,						
diphenyl-2- propenoic acid, 2- ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	<2% aromatics						
diphenyl-2- propenoic acid, 2- ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	2-Cyano-3,3-	6197-30-4	Activated sludge	Experimental	30 minutes	NOEC	1,000 mg/l
ethylhexyl ester 2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-Cyano-3,3-diphenyl-3-propenoic acid, 2-ethylhexyl ester	diphenyl-2-			'			'
ethylhexyl ester 2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester 3-cyano-3,3-diphenyl-3-propenoic acid, 2-ethylhexyl ester	propenoic acid, 2-						
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 13463-67-7							
diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide  13463-67-7  Diatom  Experimental  72 hours  No tox obs at lmt of water sol  No tox obs at lmt of water sol  No tox obs at lmt of water sol  Plo0 mg/l		6197-30-4	Golden Orfe	Experimental	96 hours	No tox obs at lmt	>100 mg/l
propenoic acid, 2-ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 1 1 1 1 1 1 1 1 1 1-				F		1	
cthylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 3-Cyano-3,3- dip							
2-Cyano-3,3-diphenyl-2-pethylhexyl ester 2-Cyano-3,3-diphenyl-2-pethylhexyl ester 2-Cyano-3,3-diphenyl-2-pethylhexyl ester 2-Cyano-3,3-diphenyl-2-pethylhexyl ester 2-Cyano-3,3-diphenyl-2-pethylhexyl ester 2-Cyano-3,3-diphenyl-2-propenoic acid, 2-pethylhexyl ester Titanium dioxide 13463-67-7 Activated sludge Experimental 72 hours No tox obs at lmt of water sol No my literature sol N							
diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide  13463-67-7  Activated sludge  Experimental  21 days  NOEC  0.00266 mg/l  Pathead minnow  Experimental  72 hours  NOEC  >=1,000 mg/l  Titanium dioxide  13463-67-7  Fathead minnow  Experimental  96 hours  LC50  >100 mg/l  Titanium dioxide  13463-67-7  Water flea  Experimental  48 hours  EC50  >100 mg/l	_ ,	6197-30-4	Green algae	Experimental	72 hours	No tox obs at lmt	>100 mg/l
propenoic acid, 2- ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester Titanium dioxide 13463-67-7 Diatom Experimental 21 days NOEC 0.00266 mg/l  Pours NOEC >=1,000 mg/l  NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		0157 50 1	Green ungue	Z.iperimentar	72 110 415	1	100 mg 1
ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 13463-67-7						01 114001 501	
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  3-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  4 Titanium dioxide  13463-67-7  Activated sludge  13463-67-7  Diatom  Experimental  4 Experimental  5 Experiment							
diphenyl-2-propenoic acid, 2-ethylhexyl ester  2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester  2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester  2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester  Titanium dioxide  13463-67-7  Titanium dioxide  Titanium dioxide  13463-67-7  Fathead minnow  Experimental  Of water sol  No tox obs at lmt of water sol  Power sol  No tox obs at lmt of water sol  Power so		6197-30-4	Water flea	Experimental	48 hours	No tox obs at lmt	>100 mg/l
propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide  13463-67-7  Diatom  Experimental  72 hours  No tox obs at lmt of water sol  NOEC  0.00266 mg/l  1000 mg/l		0177 30 4	Water fied	Experimental	40 Hours		2 100 mg/1
ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester Titanium dioxide						or water sor	
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester Titanium dioxide 13463-67-7 Titanium dioxide 13463-67-7 Fathead minnow Experimental Titanium dioxide 13463-67-7 Water flea Experimental Titanium dioxide 13463-67-7 Water flea Experimental Titanium dioxide Titanium dioxide 13463-67-7 Fathead minnow Experimental Titanium dioxide 13463-67-7 Water flea Experimental Titanium dioxide							
diphenyl-2- propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide  13463-67-7  Titanium dioxide  Titanium dioxide  13463-67-7  Fathead minnow  Experimental  Experimental  21 days  NOEC  0.00266 mg/l  NOEC  >=1,000 mg/l  Fathead minnow  Experimental  72 hours  EC50  >10,000 mg/l  Titanium dioxide  13463-67-7  Water flea  Experimental  96 hours  LC50  >100 mg/l  Titanium dioxide  13463-67-7  Water flea  Experimental  48 hours  EC50  >100 mg/l		6107 30 4	Green algae	Evperimental	72 hours	No toy obe at lmt	>100 mg/l
propenoic acid, 2- ethylhexyl ester  2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide 13463-67-7		019/-30-4	Green aigat	Laperinicitai	12 HOUIS	1	100 mg/1
ethylhexyl ester 2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide 13463-67-7						of water sor	
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide 13463-67-7							
diphenyl-2- propenoic acid, 2- ethylhexyl ester  Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		6107 20 4	Water flee	Evnorimental	21 days	NOEC	0.00266 mg/l
propenoic acid, 2- ethylhexyl ester  Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		019/-30-4	water nea	Experimental	21 days	INUEC	0.00200 mg/i
ethylhexyl ester  Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	propercie said 2	1					
Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		1					
Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		12462 67.7	A 41 4 1 1 1	E : 4.1	2.1	NOEC	> 1.000 //
Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	i itanium dioxide	13403-07-7	Activated studge	Experimental	3 nours	INUEC	/-1,000 mg/1
Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	TP:4 : 1: :1	12462 67.7	D: 4	In the state of th	72.1	ECCO	> 10 000 //
Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	I itanium dioxide	13463-6/-/	Diatom	Experimental	/2 hours	EC30	>10,000 mg/1
Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	m: : :: ::	12462 67.7	To all 1	lp.	061	1.050	100 //
	Titanium dioxide	13463-67-7	Fathead minnow	Experimental	96 hours	LC50	>100 mg/l
	m:	12462 67 -	TYY		40.1	F.050	100 7
Titanium dioxide 13463-67-7 Diatom Experimental 72 hours NOEC 5,600 mg/l	Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Titanium dioxide   13463-67-7   Diatom   Experimental   72 hours   NOEC   5,600 mg/l		ļ		<u> </u>		<u> </u>	
	Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
		l					1

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons,	920-901-0	Estimated	28 days	BOD	31.3 %BOD/ThOD	OECD 301F - Manometric

C11-C13, isoalkanes, <2% aromatics		Biodegradation				respirometry
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Estimated Biodegradation	28 days	BOD	31.3 %BOD/ThOD	OECD 301F - Manometric respirometry
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Experimental Biodegradation	28 days	BOD	22 %BOD/ThOD	OECD 301F - Manometric respirometry
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental Biodegradation	28 days	BOD		EC C.4.D. Manometric Respirom
Titanium dioxide	13463-67-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A

### 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental BCF - Fish	28 days	Bioaccumulation factor	887	OECD305-Bioconcentration
2-Cyano-3,3- diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental Bioconcentration		Log Kow	6.1	EC A.8 Partition Coefficient
Titanium dioxide	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	9.6	

### 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
2-Cyano-3,3-	6197-30-4	Experimental	Koc	29934-79018 l/kg	
diphenyl-2-		Mobility in Soil			
propenoic acid, 2-					
ethylhexyl ester					

### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

### 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

### EU waste code (product as sold)

120112\* Spent waxes and fats

# **SECTION 14: Transportation information**

	Ground Transport (ADR)		Marine Transport (IMDG)
14.1 UN number	UN1325	UN1325	UN1325
14.2 UN proper shipping name	FLAMMABLE SOLID, ORGANIC, N.O.S.(HYDROTREATED HEAVY NAPHTHA (PETROLEUM); HYDROTREATED LIGHT PETROLEUM DISTILLATES)	FLAMMABLE SOLID, ORGANIC, N.O.S.(HYDROTREATED HEAVY NAPHTHA (PETROLEUM); HYDROTREATED LIGHT PETROLEUM DISTILLATES)	FLAMMABLE SOLID, ORGANIC, N.O.S.(HYDROTREATED HEAVY NAPHTHA (PETROLEUM); HYDROTREATED LIGHT PETROLEUM DISTILLATES)
14.3 Transport hazard class(es)	4.1	4.1	4.1
14.4 Packing group	II	II	II
14.5 Environmental hazards	Not Environmentally Hazardous	Not applicable	Not a Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	F1	Not applicable.	Not applicable.

IMDG Segregation	Not applicable.	Not applicable.	NONE
Code			

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

Ingredient	CAS Nbr	<u>Classification</u>	Regulation
Titanium dioxide	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

#### Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

#### COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

#### Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

### **SECTION 16: Other information**

#### List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H351i	Suspected of causing cancer by inhalation.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

GB Section 02: CLP Remark(phrase) information was added.

GB Section 02: Other hazards phrase information was added.

GB Section 04: First Aid - Symptoms and Effects (GB CLP) information was added.

- GB Section 04: Information on toxicological effects information was added.
- GB Section 12: Classification Warning information was added.
- GB Section 15: Carcinogenicity information information was added.
- GB Section 15: Chemical Safety Assessment information was added.
- GBSDS Section 14 Transport in bulk Main Heading information was added.
- GBSDS Section 14 UN Number information was added.
- CLP Remark(phrase) information was deleted.
- Label: CLP Percent Unknown information was deleted.
- Label: CLP Precautionary Response information was deleted.
- Section 02: Label Elements: GB Percent Unknown information was added.
- Section 2: Other hazards phrase information was deleted.
- Section 3: Composition/Information of ingredients table information was added.
- Section 3: Composition/Information of ingredients table information was deleted.
- Section 04: First Aid Symptoms and Effects (CLP) information was deleted.
- Section 4: First aid for eye contact information information was modified.
- Section 04: Information on toxicological effects information was deleted.
- Section 9: Vapour density value information was modified.
- Section 11: Classification disclaimer information was deleted.
- Section 11: GB Classification disclaimer information was added.
- Section 11: GB No endocrine disruptor information available warning information was added.
- Section 11: No endocrine disruptor information available warning information was deleted.
- Section 12: 12.6. Endocrine Disrupting Properties information was deleted.
- Section 12: 12.6. Other adverse effects information was added.
- Section 12: 12.7. Other adverse effects information was deleted.
- Section 12: Classification Warning information was deleted.
- Section 12: Mobility in soil information information was added.
- Prints No Data if Adverse effects information is not present information was deleted.
- Section 12: No Data text for mobility in soil information was deleted.
- Section 12: No endocrine disruptor information available warning information was added.
- Section 12: No endocrine disruptor information available warning information was deleted.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was deleted.
- Section 14 UN Number information was deleted.
- Section 14: Transportation classification information was deleted.
- Section 15: Carcinogenicity information information was deleted.
- Section 15: Chemical Safety Assessment information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

- Section 16: Web address information was added.
- Section 16: Web address information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

### Meguiar's, Inc. SDSs for Great Britain are available at www.meguiars.co.uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.