

Safety Data Sheet

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 33-4677-2 **Version number:** 1.00 **Revision date:** 01/09/2023 **Supersedes date:** Initial issue.

Transportation version number:

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

M4965, Marine & RV Fiberglass Restoration System

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Marine

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 **E Mail:** info@meguiars.co.uk

Website: www.meguiars.co.uk

1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

26-6666-7, 33-1945-6, 26-8180-7

TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

KIT LABEL

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Skin Sensitization, Category 1A - Skin Sens. 1A; H317

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark)

Pictograms



Contains:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

HAZARD STATEMENTS:

H317 May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-

methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Refer to Safety Data Sheet for component % unknown values (www.3M.com/msds).

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredient required per 648/2004 (not required on industrial label): 15-30%: Aliphatic hydrocarbons. <5%: Non-ionic surfactants, anionic surfactant. Contains: Perfumes, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

| Revision information: No revision information | | |
|------------------------------------------------------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

M4965, Marine & RV Fiberglass Restoration System



Safety Data Sheet

Copyright, 2021, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 26-8180-7 **Version number:** 1.00 **Revision date:** 06/07/2021 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Oxidation Remover Heavy Duty Cleaner (Marine/RV) M49 [M4901 M4916 M4965]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Marine

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The aspiration hazard classification is not required due to the product's viscosity.

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredient required per 648/2004 (not required on industrial label): <5%: Anionic surfactant. Contains: Colorant, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Non-Hazardous Ingredients | Mixture | 50 - 70 | Substance not classified as hazardous |
| Aluminium Oxide (non-fibrous) | (CAS-No.) 1344-28-1 (EC-No.) 215-691-6 | 10 - 30 | Substance with a national occupational exposure limit |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | (EC-No.) 926-141-6 | 10 - 15 | Asp. Tox. 1, H304 EUH066 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-No.) 55965-84-9 (EC-No.) 911-418-6 | < 0.0015 | EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310 |
| White Mineral Oil (Petroleum) | (CAS-No.) 8042-47-5 (EC-No.) 232-455-8 | 1 - 5 | Asp. Tox. 1, H304 |
| Plant Oil | Trade Secret | 0.1 - 1.5 | Substance not classified as hazardous |
| Sorbitan Sesquioleate | (CAS-No.) 8007-43-0 (EC-No.) 232-360-1 | 0.5 - 1.5 | Substance not classified as hazardous |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (EC-No.) 911-418-6 | (C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 |
| | | $(C \ge 0.0015\%)$ Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient **CAS Nbr** Agency Limit type Additional comments

Aluminium Oxide (non-fibrous) 1344-28-1 **UK HSC** TWA(as respirable dust):4 mg/m3;TWA(as inhalable

dust):10 mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures: Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Thickness (mm) **Breakthrough Time** Material Polymer laminate No data available No data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Colour White Odor Sweet Odor Odour threshold No data available. Melting point/freezing point Not applicable. 198.9 °C Boiling point/boiling range

Flammability (solid, gas) Not applicable. Flammable Limits(LEL) No data available. Flammable Limits(UEL) No data available.

Flash point > 93.3 °C [Test Method:Pensky-Martens Closed Cup]

[*Details*:D93-90] **Autoignition temperature** No data available. **Decomposition temperature** No data available.

pН substance/mixture is non-soluble (in water)

Kinematic Viscosity 12,000 mm²/sec Water solubility Negligible No data available. Solubility- non-water Partition coefficient: n-octanol/water No data available. Vapour pressure No data available.

Density 1 g/cm3

Page: 5 of 15

Oxidation Remover Heavy Duty Cleaner (Marine/RV) M49 [M4901 M4916 M4965]

Relative density Relative Vapor Density 1 [Ref Std:WATER=1] No data available.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds Evaporation rate

No data available. No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Temperatures above the boiling point.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Prolonged or repeated exposure may cause: Dermal Defatting: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|------------------------------------------------|
| Overall product | Inhalation- Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Aluminium Oxide (non-fibrous) | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Aluminium Oxide (non-fibrous) | Inhalation- Dust/Mist (4 hours) | Rat | LC50 > 2.3 mg/l |
| Aluminium Oxide (non-fibrous) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation- Vapour | Professio nal judgeme nt | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| White Mineral Oil (Petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| White Mineral Oil (Petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Rabbit | LD50 87 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Inhalation- Dust/Mist (4 hours) | Rat | LC50 0.33 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--------------------------------------------------------------------------------|---------|---------------------------|
| | | |
| Aluminium Oxide (non-fibrous) | Rabbit | No significant irritation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Minimal irritation |
| White Mineral Oil (Petroleum) | Rabbit | No significant irritation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Serious Eye Damage/Irritation

| Name S | | Value |
|---------------------------------------------------------------------------------|--------|---------------------------|
| | | |
| Aluminium Oxide (non-fibrous) | Rabbit | No significant irritation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Mild irritant |
| White Mineral Oil (Petroleum) | Rabbit | Mild irritant |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Skin Sensitisation

| Name | Species | Value |
|--------------------------------------------------------------------------------|---------|----------------|
| | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Guinea | Not classified |
| | pig | |
| White Mineral Oil (Petroleum) | Guinea | Not classified |
| | pig | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Human | Sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | animal | |

Photosensitisation

| Name | Species | Value |
|---------------------------------------------------------------------------------|---------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Human | Not sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------|
| | | |
| Aluminium Oxide (non-fibrous) | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In vivo | Not mutagenic |
| White Mineral Oil (Petroleum) | In Vitro | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | In vivo | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|------------------|
| Aluminium Oxide (non-fibrous) | Inhalation | Rat | Not carcinogenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not available | Not carcinogenic |
| White Mineral Oil (Petroleum) | Dermal | Mouse | Not carcinogenic |
| White Mineral Oil (Petroleum) | Inhalation | Multiple animal species | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Mouse | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|----------------------------------------------------------------------|----------------|----------------------------------------|---------|---------------------|----------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for female reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for male reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for development | Rat | NOAEL Not available | 1 generation |
| White Mineral Oil (Petroleum) | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 | 13 weeks |

| | | | | mg/kg/day | |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|-----|-----------------------------|-------------------------|
| White Mineral Oil (Petroleum) | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White Mineral Oil (Petroleum) | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------|------------------------------------------------------------------------------|------------------------------|------------------------|----------------------|
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-----------------------------------|------------|--------------------------|------------------------------------------------------------------------------|---------|-----------------------------|-----------------------|
| Aluminium Oxide (non- fibrous) | Inhalation | pneumoconiosis | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | occupational exposure |
| Aluminium Oxide (non- fibrous) | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |
| White Mineral Oil (Petroleum) | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White Mineral Oil (Petroleum) | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 mg/kg/day | 90 days |

Aspiration Hazard

| Name | Value |
|----------------------------------------------------------------------|-------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Aspiration hazard |
| White Mineral Oil (Petroleum) | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition,

Page: 9 of 15

statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|------------------------|------------|------------------|--------------------|-----------------------------------------|---------------|-------------|
| Aluminium Oxide | 1344-28-1 | | Experimental | 96 hours | LC50 | >100 mg/l |
| (non-fibrous) | | | F | | | |
| Aluminium Oxide | 1344-28-1 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| (non-fibrous) | | | F | | | |
| Aluminium Oxide | 1344-28-1 | Water flea | Experimental | 48 hours | LC50 | >100 mg/l |
| (non-fibrous) | | | F | | | |
| Aluminium Oxide | 1344-28-1 | Green algae | Experimental | 72 hours | NOEC | >100 mg/l |
| (non-fibrous) | | | | 7 = 330 532 | | 1 *** **** |
| Hydrocarbons, C11- | 926-141-6 | Green Algae | Experimental | 72 hours | EL50 | >1,000 mg/l |
| C14, n-alkanes, | | 3 | F | | | , |
| isoalkanes, cyclics, | | | | | | |
| <2% aromatics | | | | | | |
| Hydrocarbons, C11- | 926-141-6 | Rainbow trout | Experimental | 96 hours | LL50 | >1,000 mg/l |
| C14, n-alkanes, | | | | , , , , , , , , , , , , , , , , , , , , | | 1 3,000 |
| isoalkanes, cyclics, | | | | | | |
| <2% aromatics | | | | | | |
| Hydrocarbons, C11- | 926-141-6 | Water flea | Experimental | 48 hours | EL50 | >1,000 mg/l |
| C14, n-alkanes, | | | F | | | , |
| isoalkanes, cyclics, | | | | | | |
| <2% aromatics | | | | | | |
| Hydrocarbons, C11- | 926-141-6 | Green Algae | Experimental | 72 hours | NOEL | 1,000 mg/l |
| C14, n-alkanes, | | | | 7 = | 1.7.2 | 1,,,,,, |
| isoalkanes, cyclics, | | | | | | |
| <2% aromatics | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Activated sludge | Experimental | 3 hours | NOEC | 0.91 mg/l |
| chloro-2-methyl-4- | | Trouvatou stauge | Z.ip or initiality | 5 110 415 | 1,020 | 0.51 mg/1 |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Bacteria | Experimental | 16 hours | EC50 | 5.7 mg/l |
| chloro-2-methyl-4- | | | 1 | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Copepods | Experimental | 48 hours | EC50 | 0.007 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Diatom | Experimental | 72 hours | EC50 | 0.0199 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | <u> </u> | | 1222 | |
| reaction mass of: 5- | 55965-84-9 | Green Algae | Experimental | 72 hours | EC50 | 0.027 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |

Page: 10 of 15

| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|--------------|----------|------|--------------|
| 3-one [EC no. 220-239-6] (3:1) | | | | | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239- | 55965-84-9 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 0.3 mg/l |
| 6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Fathead minnow | Experimental | 36 days | NOEL | 0.02 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Green Algae | Experimental | 72 hours | NOEC | 0.004 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |
| White Mineral Oil (Petroleum) | 8042-47-5 | Water flea | Estimated | 48 hours | EL50 | >100 mg/l |
| White Mineral Oil (Petroleum) | 8042-47-5 | Bluegill | Experimental | 96 hours | LL50 | >100 mg/l |
| White Mineral Oil (Petroleum) | 8042-47-5 | Green algae | Estimated | 72 hours | NOEL | 100 mg/l |
| White Mineral Oil (Petroleum) | 8042-47-5 | Water flea | Estimated | 21 days | NOEL | >100 mg/l |
| • | 8007-43-0 | Copepods | Experimental | 48 hours | EC50 | 7,756 mg/l |
| Sorbitan Sesquioleate | 8007-43-0 | Diatom | Experimental | 72 hours | EC50 | 1,916 mg/l |
| Sorbitan Sesquioleate | 8007-43-0 | Fish other | Laboratory | 96 hours | LC50 | >100 mg/l |
| Sorbitan Sesquioleate | 8007-43-0 | Water flea | Experimental | 21 days | NOEC | >100 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------|----------|----------------------------------|---------------------------------------------------------------------------------|--------------------------------------|
| Aluminium Oxide (non- fibrous) | 1344-28-1 | Data not availbl- insufficient | | | N/A | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Experimental Biodegradation | 28 days | BOD | 69 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Photolysis | | Photolytic half-life (in air) | 1.2 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life | > 60 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |
| White Mineral Oil (Petroleum) | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 % weight | OECD 301B - Modified sturm or CO2 |
| Sorbitan Sesquioleate | 8007-43-0 | Estimated Biodegradation | 28 days | CO2 evolution | 85 % weight | OECD 301B - Modified sturm or CO2 |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|----------|------------------------|-------------|-----------------------------------------------------------|
| Aluminium Oxide (non- fibrous) | 1344-28-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | Estimated BCF - Bluegill | 28 days | Bioaccumulation factor | 54 | OECD 305E - Bioaccumulation flow- through fish test |
| White Mineral Oil (Petroleum) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Sorbitan Sesquioleate | 8007-43-0 | Estimated Bioconcentration | | Log Kow | 22.56 | Non-standard method |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|
| 14.1 UN number | No data available. | No data available. | No data available. |
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |
| 14.5 Environmental hazards | No data available. | No data available. | No data available. |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |

| Emergency Temperature | No data available. | No data available. | No data available. |
|------------------------------|--------------------|--------------------|---------------------|
| ADR Tunnel Code | No data available. | Not applicable. | No data available. |
| ADK Tullilet Code | No data available. | Not applicable. | ivo data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| ADR Transport Category | No data available. | No data available. | No data available. |
| ADR Multiplier | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| EUH066 | Repeated exposure may cause skin dryness or cracking. |
|--------|-------------------------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |

Oxidation Remover Heavy Duty Cleaner (Marine/RV) M49 [M4901 M4916 M4965]

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk



Safety Data Sheet

Copyright, 2021, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 26-6666-7 **Version number:** 1.00 **Revision date:** 01/03/2021 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pure Wax Carnauba Blend (Marine/RV) M56 [M5616]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Marine

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's viscosity.

CLASSIFICATION:

Skin Sensitization, Category 1A - Skin Sens. 1A; H317

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |

Pictograms



Ingredients:

Ingredient CAS Nbr EC No. % by Wt

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- 55965-84-9 911-418-6 < 0.002

one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-

one [EC no. 220-239-6] (3:1)

HAZARD STATEMENTS:

H317 May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 1% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

Notes on labelling

Nota P applied to CAS 8052-41-3.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Non-Hazardous Ingredients | (CAS-No.) 7732-18-5 (EC-No.) 231-791-2 | 40 - 70 | Substance not classified as hazardous |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | (EC-No.) 926-141-6 | 10 - 20 | Asp. Tox. 1, H304 EUH066 |
| Clay | Trade Secret | 5 - 10 | Substance not classified as hazardous |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | (EC-No.) 920-901-0 | 1 - 10 | Asp. Tox. 1, H304 EUH066 |
| Poly(dimethylsiloxane) | (CAS-No.) 63148-62-9 | 1 - 5 | Substance not classified as hazardous |
| Carnauba wax | (CAS-No.) 8015-86-9 (EC-No.) 232-399-4 | 1 - 5 | Substance not classified as hazardous |
| Synthetic Hydrocarbon Mixture | Trade Secret | 0.5 - 1.5 | Substance not classified as hazardous |
| White mineral oil (petroleum) | (CAS-No.) 8042-47-5 (EC-No.) 232-455-8 | 0.5 - 1.5 | Asp. Tox. 1, H304 |
| Titanium dioxide | (CAS-No.) 13463-67-7 (EC-No.) 236-675-5 | < 0.25 | Carc. 2, H351 (inhalation) |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-No.) 55965-84-9 (EC-No.) 911-418-6 | < 0.002 | EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310 |

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (EC-No.) 911-418-6 | (C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionformaldehydeDuring combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS NbrAgencyLimit typeAdditional commentsTitanium dioxide13463-67-7UK HSCTWA(respirable):4

itanium dioxide 13463-67-7 UK HSC TWA(respirable):4 mg/m3;TWA(Inhalable):10

ing/ins, i w A(iiiiaiable). i c

mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures: Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards
Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.ColourLight YellowOdorBananaOdour thresholdNo data available.

Melting point/freezing point

Boiling point/boiling range

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

No data available.

No data available.

No data available.

Flash point Flash point > 93 °C (200 °F)

Autoignition temperatureNo data available.Decomposition temperatureNo data available.

pH 7.5 - 8.5

Kinematic Viscosity 32,631.5789473684 mm²/sec

Water solubility Moderate

Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Vapour pressureNo data available.Density0.95 g/cm3

Pure Wax Carnauba Blend (Marine/RV) M56 [M5616]

Relative density Relative Vapor Density 0.95 [Ref Std:WATER=1] No data available.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds Evaporation rate

No data available. No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Temperatures above the boiling point.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

May cause additional health effects (see below).

Skin contact

Dermal Defatting: Signs/symptoms may include localised redness, itching, drying and cracking of skin.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Additional Health Effects:

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|------------------------------------------------|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation- Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation- Vapour | Professio nal judgeme nt | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Clay | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Clay | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Inhalation- Vapour | | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Poly(dimethylsiloxane) | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Poly(dimethylsiloxane) | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Carnauba wax | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Carnauba wax | Ingestion | Rat | LD50 > 8,800 mg/kg |
| White mineral oil (petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| White mineral oil (petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Titanium dioxide | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Titanium dioxide | Inhalation- Dust/Mist (4 hours) | Rat | LC50 > 6.82 mg/l |
| Titanium dioxide | Ingestion | Rat | LD50 > 10,000 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Rabbit | LD50 87 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Inhalation- Dust/Mist (4 hours) | Rat | LC50 0.33 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Minimal irritation |
|---------------------------------------------------------------------------------|-----------|---------------------------|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Rabbit | Minimal irritation |
| Poly(dimethylsiloxane) | Rabbit | No significant irritation |
| Carnauba wax | Professio | No significant irritation |
| | nal | |
| | judgemen | |
| | t | |
| White mineral oil (petroleum) | Rabbit | No significant irritation |
| Titanium dioxide | Rabbit | No significant irritation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Serious Eye Damage/Irritation

| Name | Species | Value | |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------|--|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Mild irritant | |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Rabbit | Mild irritant | |
| Poly(dimethylsiloxane) | Rabbit | No significant irritation | |
| Carnauba wax | Professio | No significant irritation | |
| | nal | | |
| | judgemen | | |
| | t | | |
| White mineral oil (petroleum) | Rabbit | Mild irritant | |
| Titanium dioxide | Rabbit | No significant irritation | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Rabbit | Corrosive | |

Skin Sensitisation

| Name | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Guinea pig | Not classified |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Guinea pig | Not classified |
| White mineral oil (petroleum) | Guinea pig | Not classified |
| Titanium dioxide | Human and animal | Not classified |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Human and animal | Sensitising |

Photosensitisation

| Name | Species | Value |
|---------------------------------------------------------------------------------|---------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Human | Not sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|----------------------------------------------------------------------|----------|---------------|
| | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In vivo | Not mutagenic |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | In vivo | Not mutagenic |
| White mineral oil (petroleum) | In Vitro | Not mutagenic |

| Titanium dioxide | In Vitro | Not mutagenic |
|--------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------|
| Titanium dioxide | In vivo | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | In vivo | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|------------------------------------------------------------------|------------|-----------|------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% | Not | Not | Not carcinogenic |
| aromatics | specified. | available | |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not | Not | Not carcinogenic |
| | specified. | available | |
| White mineral oil (petroleum) | Dermal | Mouse | Not carcinogenic |
| White mineral oil (petroleum) | Inhalation | Multiple | Not carcinogenic |
| | | animal | |
| | | species | |
| Titanium dioxide | Ingestion | Multiple | Not carcinogenic |
| | | animal | |
| | | species | |
| Titanium dioxide | Inhalation | Rat | Carcinogenic. |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Dermal | Mouse | Not carcinogenic |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] | | | |
| (3:1) | | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Ingestion | Rat | Not carcinogenic |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] | | | |
| (3:1) | | | |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------|------------------|-----------------------------|-------------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for female reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for male reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for development | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for female reproduction | Not available | NOAEL NA | 1 generation |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for male reproduction | Not available | NOAEL NA | 28 days |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for development | Not available | NOAEL NA | during gestation |
| White mineral oil (petroleum) | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------|------------------------------------------------------------------------------|------------------------------|------------------------|----------------------|
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|------------|--------------------------|------------------------------------------------------------------------------|---------|-----------------------------|-----------------------|
| White mineral oil (petroleum) | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White mineral oil (petroleum) | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 mg/kg/day | 90 days |
| Titanium dioxide | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 0.01 mg/l | 2 years |
| Titanium dioxide | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

| Name | Value |
|----------------------------------------------------------------------|-------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Aspiration hazard |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Aspiration hazard |
| White mineral oil (petroleum) | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|--------------------------------------------------------------------------------|-----------|---------------|--------------|----------|---------------|-------------|
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green Algae | Experimental | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Rainbow trout | Experimental | 96 hours | LL50 | >1,000 mg/l |

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Water flea | Experimental | 48 hours | EL50 | >1,000 mg/l |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|-------------------------------------------------------|----------|------|--------------|
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green Algae | Experimental | 72 hours | NOEL | 1,000 mg/l |
| Clay | Trade Secret | Bacteria | Estimated | 16 hours | EC10 | 1,400 mg/l |
| Clay | Trade Secret | Green algae | Estimated | 72 hours | EC50 | 2,500 mg/l |
| Clay | Trade Secret | Water flea | Estimated | 48 hours | EC50 | >100 mg/l |
| Clay | Trade Secret | Zebra Fish | Estimated | 96 hours | LC50 | >100 mg/l |
| Clay | Trade Secret | Green algae | Estimated | 72 hours | EC10 | 41 mg/l |
| Clay | Trade Secret | Rainbow trout | Estimated | 30 days | NOEC | 100 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Green Algae | Estimated | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C13, isoalkanes, <2% aromatics | 920-901-0 | Rainbow trout | Estimated | 96 hours | LL50 | >1,000 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Water flea | Estimated | 48 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C13, isoalkanes, <2% aromatics | 920-901-0 | Green Algae | Estimated | 72 hours | NOEL | 1,000 mg/l |
| Carnauba wax | 8015-86-9 | | Data not available or insufficient for classification | | | N/A |
| Poly(dimethylsiloxane) | 63148-62-9 | | Data not available or insufficient for classification | | | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Estimated | 48 hours | EL50 | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Bluegill | Experimental | 96 hours | LL50 | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Green algae | Estimated | 72 hours | NOEL | 100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Estimated | 21 days | NOEL | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Activated sludge | Experimental | 3 hours | NOEC | >=1,000 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | EC50 | >10,000 mg/l |
| Titanium dioxide | 13463-67-7 | Fathead minnow | Experimental | 96 hours | LC50 | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | NOEC | 5,600 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Activated sludge | Experimental | 3 hours | NOEC | 0.91 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- | 55965-84-9 | Bacteria | Experimental | 16 hours | EC50 | 5.7 mg/l |

| 3-one [EC no. 220-239- | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|--------------|----------|------|--------------|
| 6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- | 55965-84-9 | Copepods | Experimental | 48 hours | EC50 | 0.007 mg/l |
| 3-one [EC no. 220-239-6] (3:1) reaction mass of: 5- | 55965-84-9 | Diatom | Experimental | 72 hours | EC50 | 0.0199 mg/l |
| chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | | | | | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Green Algae | Experimental | 72 hours | EC50 | 0.027 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 0.3 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Fathead minnow | Experimental | 36 days | NOEL | 0.02 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Green Algae | Experimental | 72 hours | NOEC | 0.004 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |

| methyl-2H-isothiazol- | | | |
|------------------------|--|--|--|
| 3-one [EC no. 220-239- | | | |
| 6] (3:1) | | | |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------|----------|----------------------------------|---------------------------------------------------------------------------------|--------------------------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Experimental Biodegradation | 28 days | BOD | 69 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| Clay | Trade Secret | Data not availbl- insufficient | | | N/A | |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Estimated Biodegradation | 28 days | BOD | 31.3 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| Carnauba wax | 8015-86-9 | Estimated Biodegradation | 28 days | CO2 evolution | 96 % weight | OECD 301B - Modified sturm or CO2 |
| Poly(dimethylsiloxane) | 63148-62-9 | Data not availbl- insufficient | | | N/A | |
| White mineral oil (petroleum) | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 % weight | OECD 301B - Modified sturm or CO2 |
| Titanium dioxide | 13463-67-7 | Data not availbl- insufficient | | | N/A | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Photolysis | | Photolytic half-life (in air) | 1.2 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life | > 60 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|----------------------------------------------------------------------------------------|--------------|-------------------------------------------------------|----------|------------------------|-------------|-----------------------------------------------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Clay | Trade Secret | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Carnauba wax | 8015-86-9 | Estimated Bioconcentration | | Bioaccumulation factor | 7.4 | Estimated: Bioconcentration factor |
| Poly(dimethylsiloxane) | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Titanium dioxide | 13463-67-7 | Experimental BCF- Carp | 42 days | Bioaccumulation factor | 9.6 | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and | 55965-84-9 | Estimated BCF - Bluegill | 28 days | Bioaccumulation factor | 54 | OECD 305E - Bioaccumulation flow- through fish test |

Page: 14 of 17

Pure Wax Carnauba Blend (Marine/RV) M56 [M5616]

| 2-methyl-2H-isothiazol-3- | | | |
|---------------------------|--|--|--|
| one [EC no. 220-239-6] | | | |
| (3:1) | | | |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

120112* Spent waxes and fats

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---------------------------------|------------------------|----------------------|----------------------------|
| 14.1 UN number | No data available. | No Data Available | No Data Available |
| 14.2 UN proper shipping name | No data available. | No Data Available | No Data Available |
| 14.3 Transport hazard class(es) | No data available. | No Data Available | No Data Available |

| 14.4 Packing group | No data available. | No Data Available | No Data Available |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|
| 14.5 Environmental hazards | No data available. | No Data Available | No Data Available |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No Data Available | No Data Available |
| Control Temperature | No data available. | No Data Available | No Data Available |
| Emergency Temperature | No data available. | No Data Available | No Data Available |
| ADR Tunnel Code | No data available. | Not Applicable | No Data Available |
| ADR Classification Code | No data available. | No Data Available | No Data Available |
| ADR Transport Category | No data available. | No Data Available | No Data Available |
| ADR Multiplier | No data available. | No Data Available | No Data Available |
| IMDG Segregation Code | No data available. | No Data Available | No Data Available |
| Transport not Permitted | No data available. | No Data Available | No Data Available |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

IngredientCAS NbrClassificationRegulationTitanium dioxide13463-67-7Grp. 2B: Possible human carc.International Agency for Research on Cancer

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| EUH066 | Repeated exposure may cause skin dryness or cracking. |
|--------|-------------------------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H351i | Suspected of causing cancer by inhalation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| | |

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk



Safety Data Sheet

Copyright, 2021, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 33-1945-6 **Version number:** 1.00 **Revision date:** 16/04/2021 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Polish High Gloss (Marine/RV) M45 [M4516]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Marine

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Skin Sensitization, Category 1A - Skin Sens. 1A; H317

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark)

Pictograms



Ingredients:

Ingredient CAS Nbr EC No. % by Wt

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- 55965-84-9 911-418-6 < 0.002 one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-

one [EC no. 220-239-6] (3:1)

HAZARD STATEMENTS:

H317 May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

2% of the mixture consists of components of unknown acute oral toxicity.

Contains 2% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

Notes on labelling

H304 not required due to product viscosity.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Non-Hazardous Ingredients | Mixture | 55 - 75 | Substance not classified as hazardous |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | (EC-No.) 926-141-6 | 10 - 20 | Asp. Tox. 1, H304 EUH066 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-No.) 55965-84-9 (EC-No.) 911-418-6 | < 0.002 | EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | pecific Concentration Limits | | |
|----------------------------------------------|----------------------|------------------------------------------|--|--|
| | | | | |
| reaction mass of: 5-chloro-2-methyl-4- | (CAS-No.) 55965-84-9 | $(C \ge 0.6\%)$ Skin Corr. 1C, H314 | | |
| isothiazolin-3-one [EC no. 247-500-7] and 2- | (EC-No.) 911-418-6 | (0.06% = < C < 0.6%) Skin Irrit. 2, H315 | | |
| methyl-2H-isothiazol-3-one [EC no. 220- | | $(C \ge 0.6\%)$ Eye Dam. 1, H318 | | |
| 239-6] (3:1) | | (0.06% = < C < 0.6%) Eye Irrit. 2, H319 | | |
| | | $(C \ge 0.0015\%)$ Skin Sens. 1A, H317 | | |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionHydrocarbons.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from areas where product may come into contact with food or pharmaceuticals.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material Thickness (mm) **Breakthrough Time** Polymer laminate No data available No data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Colour White

Odor Pleasant Odor, Sweet Odor

Odour threshold No data available. Melting point/freezing point Not applicable. 198.9 °C Boiling point/boiling range Flammability (solid, gas) Not applicable. Flammable Limits(LEL) No data available. Flammable Limits(UEL) No data available.

Flash point Flash point > 93 °C (200 °F)

Page: 5 of 14

Autoignition temperatureNo data available.Decomposition temperatureNo data available.

pH 6 - 6.75

Kinematic Viscosity 5,612.24489795918 mm²/sec

Water solubility Moderate
Solubility- non-water No data available.

Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Vapour pressureNo data available.Density1 g/cm3 - 1.03 g/cm3

Relative density 0.98 [*Ref Std*:WATER=1]

Relative Vapor Density *No data available.*

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds

No data available.

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat

Sparks and/or flames.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Prolonged or repeated exposure may cause: Dermal Defatting: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|------------------------------------------------|
| Overall product | Dermal | • | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation- Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation- Vapour | Professio nal judgeme nt | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Rabbit | LD50 87 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Inhalation- Dust/Mist (4 hours) | Rat | LC50 0.33 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|---------|--------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Minimal irritation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Rabbit | Corrosive |

Serious Eve Damage/Irritation

| Name | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|---------|---------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Mild irritant |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Rabbit | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|---------------------------------------------------------------------------------|----------|------------------|
| | | |
| | | |
| | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Guinea | Not classified |
| Try droed rooms, CTT CTT, it distances, isodistances, cyclics, 270 dromatics | | 1 tot classifica |
| | pıg | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Human | Sensitising |
| | Tuillali | Schsitishing |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | anima1 | |
| | anımal | |

Photosensitisation

| Name | Species | Value |
|---------------------------------------------------------------------------------|---------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Human | Not sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---------------------------------------------------------------------------------|----------|------------------------------------------------|
| | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In vivo | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | In vivo | Not mutagenic |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | In Vitro | Some positive data exist, but the data are not |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------|------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not available | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Mouse | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------|---------|-----------------------|-------------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for female reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for male reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for development | Rat | NOAEL Not available | 1 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Page: 8 of 14

| 2-methyl-2H-isothiazol-3-one [EC no. 220- | | | |
|-------------------------------------------|--|--|--|
| 239-6] (3:1) | | | |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------|------------------------------------------------------------------------------|------------------------------|------------------------|----------------------|
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

For the component/components, either no data is currently available or the data is not sufficient for classification.

Aspiration Hazard

| Name | Value |
|----------------------------------------------------------------------|-------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|----------------------------------------------------------------------------------------------|------------|------------------|--------------|----------|---------------|-------------|
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green Algae | Experimental | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Rainbow trout | Experimental | 96 hours | LL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Water flea | Experimental | 48 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green Algae | Experimental | 72 hours | NOEL | 1,000 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- | 55965-84-9 | Activated sludge | Experimental | 3 hours | NOEC | 0.91 mg/l |

| methyl-2H-isothiazol- | | | | 1 | | |
|----------------------------------------------|------------|----------------|--------------|----------|------|--------------|
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Bacteria | Experimental | 16 hours | EC50 | 5.7 mg/l |
| chloro-2-methyl-4- | 33703 017 | Bucteriu | Experimental | To hours | Leso | 3.7 mg/1 |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Copepods | Experimental | 48 hours | EC50 | 0.007 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Diatom | Experimental | 72 hours | EC50 | 0.0199 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | 55065.04.0 | C AI | P : 1 | 72.1 | EG50 | 0.027 // |
| reaction mass of: 5- | 55965-84-9 | Green Algae | Experimental | 72 hours | EC50 | 0.027 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) reaction mass of: 5- | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
| chloro-2-methyl-4- | 33903-84-9 | Kallibow trout | Experimental | 90 Hours | LC30 | 0.19 mg/1 |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Sheepshead | Experimental | 96 hours | LC50 | 0.3 mg/l |
| chloro-2-methyl-4- | | Minnow | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | 10.1 | | |
| reaction mass of: 5- | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239-6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Fathead minnow | Experimental | 36 days | NOEL | 0.02 mg/l |
| | JJ70J-84-9 | aureau minnow | Experimental | 30 days | NOEL | 0.02 mg/1 |
| chloro-2-methyl-4- isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Green Algae | Experimental | 72 hours | NOEC | 0.004 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| | • | • | • | • | • | |

Page: 10 of 14

| no. 247-500-7]and 2- methyl-2H-isothiazol- | | | | | | |
|-----------------------------------------------|------------|------------|--------------|---------|------|------------|
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |
| reaction mass of: 5- | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |
| chloro-2-methyl-4- | | | | | | |
| isothiazolin-3-one [EC | | | | | | |
| no. 247-500-7]and 2- | | | | | | |
| methyl-2H-isothiazol- | | | | | | |
| 3-one [EC no. 220-239- | | | | | | |
| 6] (3:1) | | | | | | |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------------|----------|----------------------------------|---------------------------------------------------------------------------------|--------------------------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Experimental Biodegradation | 28 days | BOD | 69 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Photolysis | | Photolytic half-life (in air) | 1.2 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life | > 60 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |

12.3: Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|----------|------------------------|-------------|-----------------------------------------------------------|
| Hydrocarbons, C11-C14, n- alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | Estimated BCF - Bluegill | 28 days | Bioaccumulation factor | 54 | OECD 305E - Bioaccumulation flow- through fish test |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|
| 14.1 UN number | No data available. | No Data Available | No Data Available |
| 14.2 UN proper shipping name | No data available. | No Data Available | No Data Available |
| 14.3 Transport hazard class(es) | No data available. | No Data Available | No Data Available |
| 14.4 Packing group | No data available. | No Data Available | No Data Available |
| 14.5 Environmental hazards | No data available. | No Data Available | No Data Available |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No Data Available | No Data Available |
| Control Temperature | No data available. | No Data Available | No Data Available |

| Emergency Temperature | No data available. | No Data Available | No Data Available |
|------------------------------|--------------------|-------------------|-------------------|
| ADR Tunnel Code | No data available. | Not Applicable | No Data Available |
| ADR Classification Code | No data available. | No Data Available | No Data Available |
| ADR Transport Category | No data available. | No Data Available | No Data Available |
| ADR Multiplier | No data available. | No Data Available | No Data Available |
| IMDG Segregation Code | No data available. | No Data Available | No Data Available |
| Transport not Permitted | No data available. | No Data Available | No Data Available |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| EUH066 | Repeated exposure may cause skin dryness or cracking. |
|--------|-------------------------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk